## Optical Engineering

OpticalEngineering.SPIEDigitalLibrary.org

## Fabry–Perot cavity cascaded sagnac loops for temperature and strain measurements (Erratum)

Chunmei Shangguan Wen Zhang Wei He Fei Luo Lianqing Zhu



## Fabry–Perot cavity cascaded sagnac loops for temperature and strain measurements (Erratum)

Chunmei Shangguan,<sup>a,b,c</sup> Wen Zhang,<sup>a,b,c</sup> Wei He,<sup>a,b,c</sup> Fei Luo,<sup>a,b,c</sup> and Lianqing Zhu<sup>a,b,c</sup>

<sup>a</sup>Beijing Information Science and Technology University, Beijing Engineering Research Center of Optoelectronic Information and Instruments, Beijing, China

<sup>b</sup>Key Laboratory of Modern Measurement Control Technology, Ministry of Education, Beijing, China

<sup>c</sup>Beijing Information Science and Technology University, Beijing Key Laboratory of Optoelectronic Test Technology, Beijing, China

[DOI: 10.1117/1.OE.57.12.129801]

This article [*Opt. Eng.* 57(4), 047103 (2018), doi: 10.1117/1 .OE.57.4.047103] was originally published on 10 April 2018 with an author's name misspelled as "Wei Hei." The name has been corrected to "Wei He."

The paper was corrected online on 29 November 2018.

<sup>© 2018</sup> Society of Photo-Optical Instrumentation Engineers (SPIE)