

PROCEEDINGS OF SPIE

High-Power Diode Laser Technology and Applications XII

Mark S. Zediker
Editor

2–4 February 2014
San Francisco, California, United States

Sponsored and Published by
SPIE

Volume 8965

Proceedings of SPIE 0277-786X, V. 8965

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

High-Power Diode Laser Technology and Applications XII, edited
by Mark S. Zediker, Proc. of SPIE Vol. 8965, 896501 · © 2014 SPIE
CCC code: 0277-786X/14/\$18 · doi: 10.1117/12.2062798

Proc. of SPIE Vol. 8965 896501-1

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *High-Power Diode Laser Technology and Applications XII*, edited by Mark S. Zediker, Proceedings of SPIE Vol. 8965 (SPIE, Bellingham, WA, 2014) Article CID Number.

ISSN: 0277-786X

ISBN: 9780819498786

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

SPIE.org

Copyright © 2014, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/14/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.



SPIDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID Number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID Number.

Contents

ix *Conference Committee*

SESSION 1 HIGH POWER DIODE LASER RELIABILITY I

- 8965 02 **Reliability study on high-power 638nm broad stripe LD with a window-mirror structure** [8965-1]
T. Yagi, H. Mitsuyama, T. Nishida, K. Kadoiwa, K. Kuramoto, Mitsubishi Electric Corp. (Japan)
- 8965 03 **Internal degradation of 980nm emitting single-spatial-mode lasers during ultrahigh power operation** [8965-2]
J. W. Tomm, M. Hempel, T. Elsaesser, Max-Born-Institut für Nichtlineare Optik und Kurzzeitspektroskopie (Germany); J. Jimenez, V. Hortelano, Univ. de Valladolid (Spain); M. Bettiati, 3S PHOTONICS S.A.S. (France)
- 8965 04 **Catastrophic degradation in high power multi-mode InGaAs-AlGaAs strained quantum well lasers with intrinsic and irradiation-induced defects** [8965-3]
Y. Sin, S. LaLumondiere, E. Delonno, B. Foran, N. Presser, W. Lotshaw, S. C. Moss, The Aerospace Corp. (United States)
- 8965 05 **Nanoscale coatings for erosion and corrosion protection of copper microchannel coolers for high powered laser diodes** [8965-4]
M. Flannery, A. Fan, T. G. Desai, Advanced Cooling Technologies, Inc. (United States)
- 8965 06 **Feedback-induced catastrophic optical mirror damage (COMD) on 976nm broad area single emitters with different AR reflectivity** [8965-5]
B. Leonhäuser, H. Kissel, A. Unger, B. Köhler, J. Biesenbach, DILAS Diodenlaser GmbH (Germany)

SESSION 2 HIGH POWER DIODE LASER RELIABILITY II

- 8965 07 **Advancements in laser diode chip and packaging technologies for application in kW-class fiber laser pumping** [8965-6]
E. Zucker, D. Zou, L. Zavala, H. Yu, P. Yalamanchili, L. Xu, H. Xu, D. Venables, J. Skidmore, V. Rossin, R. Raju, M. Peters, K.-H. Liao, K.-W. Lee, B. Kharlamov, A. Hsieh, R. Gurram, J. Guo, N. Guerin, J. Gregg, R. Duesterberg, J. Du, A. Demir, P. Cheng, J. Cheng, JDSU (United States); H. Ishiguro, R. Li, Y. Mizoguchi, H. Sako, Amada Co., Ltd. (Japan)
- 8965 08 **High reliability of high power and high brightness diode lasers** [8965-46]
M. Kanskar, L. Bao, J. Bai, Z. Chen, D. Dahlen, M. DeVito, W. Dong, M. Grimshaw, J. Haden, X. Guan, M. Hemenway, K. Kennedy, R. Martinsen, J. Tibbals, W. Urbanek, S. Zhang, nLIGHT Corp. (United States)

- 8965 09 **Watt-level continuous-wave diode lasers at 1180 nm with InGaAs quantum wells** [8965-8]
K. Paschke, F. Bugge, G. Blume, D. Feise, W. John, S. Knigge, M. Matalla, H. Wenzel,
G. Erbert, Ferdinand-Braun-Institut (Germany)

SESSION 3 HIGH POWER BEAM COMBINING I

- 8965 0B **A 25kW fiber-coupled diode laser for pumping applications** [8965-10]
J. Malchus, V. Krause, A. Koesters, Laserline GmbH (Germany); D. G. Matthews, Laserline
Inc. (United States)
- 8965 0C **High-power dense wavelength division multiplexing (HP-DWDM) of frequency stabilized
9xx diode laser bars with a channel spacing of 1.5 nm** [8965-11]
S. Hengesbach, C. Holly, RWTH Aachen Univ. (Germany); N. Krauch, U. Witte,
T. Westphalen, M. Traub, D. Hoffmann, Fraunhofer-Institut für Lasertechnik (Germany)
- 8965 0D **High-power fiber-coupled diode lasers with superior brightness, efficiency, and reliability**
[8965-12]
K. Kennedy, M. Hemenway, W. Urbanek, K. Hoener, K. Price, L. Bao, D. Dawson, M. Kanskar,
J. Haden, nLIGHT Corp. (United States)
- 8965 0F **Integrated coherent beam combining of a laser diode mini-bar** [8965-14]
Y. Zhao, L. Zhu, Clemson Univ. (United States)

SESSION 4 HIGH POWER BEAM COMBINING II

- 8965 0G **High brightness direct diode laser with kW output power** [8965-15]
H. Fritsche, B. Kruschke, R. Koch, F. Ferrario, H. Kern, U. Pahl, DirectPhotonics Industries
GmbH (Germany); S. Pflueger, DirectPhotonics Inc. (United States); W. Gries,
DirectPhotonics Industries GmbH (Germany)
- 8965 0I **Narrow-stripe broad-area lasers with distributed-feedback surface gratings as brilliant
sources for high power spectral beam combining systems** [8965-17]
J. Decker, P. Crump, J. Fricke, H. Wenzel, A. Maaßdorf, G. Erbert, G. Tränkle, Ferdinand-
Braun-Institut (Germany)
- 8965 0J **Scalable and modular diode laser architecture for fiber coupling that combines high-
power, high-brightness, and low weight** [8965-18]
A. Bayer, B. Köhler, A. Noeke, M. Küster, D. Irwin, S. Patterson, J. Biesenbach, DILAS
Diodenlaser GmbH (Germany)
- 8965 0K **Numerical analysis of external feedback concepts for spectral stabilization of high-power
broad-area semiconductor lasers** [8965-19]
C. Holly, S. Hengesbach, RWTH Aachen (Germany); M. Traub, D. Hoffmann, Fraunhofer-
Institut für Lasertechnik (Germany)

SESSION 5 HIGH POWER DEVICES I

- 8965 0M **High-brightness 800nm fiber-coupled laser diodes** [8965-21]
Y. Berk, M. Levy, N. Rappaport, R. Tessler, O. Peleg, M. Shamay, D. Yanson, G. Klumel, N. Dahan, I. Baskin, L. Shkedi, SCD SemiConductor Devices (Israel)
- 8965 0N **High-volume manufacturing of 8XXnm-10XXnm single emitter pumps by MBE growth technique** [8965-22]
V. Gapontsev, N. Moshegov, I. Berezin, P. Trubenko, A. Komissarov, D. Miftakhutdinov, I. Berishev, N. Strougov, V. Chuyanov, O. Raisky, A. Ovtchinnikov, IPG Photonics Corp. (United States)
- 8965 0O **Study of waveguide designs for high-power 9xx-nm diode lasers operating at 200 K** [8965-23]
C. Frevert, P. Crump, F. Bugge, S. Knigge, G. Erbert, Ferdinand-Braun-Institut (Germany)
- 8965 0P **Two photon absorption in high power broad area laser diodes** [8965-24]
M. Dogan, Science Research Lab., Inc. (United States); C. P. Michael, Y. Zheng, Booz Allen Hamilton Inc. (United States); L. Zhu, Clemson Univ. (United States); J. H. Jacob, Science Research Lab., Inc. (United States)
- 8965 0Q **High differential efficiency tilted wave laser** [8965-25]
N. N. Ledentsov, V. A. Shchukin, VI Systems GmbH (Germany) and Ioffe Physico-Technical Institute (Russian Federation); N. Yu. Gordeev, Yu. M. Shernyakov, A. S. Payusov, M. V. Maximov, Ioffe Physico-Technical Institute (Russian Federation) and St. Petersburg Academic Univ. (Russian Federation); N. A. Kaluzhniy, S. A. Mintairov, V. M. Lantratov, K. A. Vashanova, M. M. Kulagina, Ioffe Physico-Technical Institute (Russian Federation); S. Rouvimov, Univ. of Notre Dame (United States)

SESSION 6 HIGH POWER DEVICES II

- 8965 0R **High power pump laser diodes for 2 μ m fiber laser** [8965-26]
S. Pawlik, R. Todt, M. Moser, O. Romero, N. Lichtenstein, IL-VI Laser Enterprise GmbH (Switzerland)
- 8965 0S **Wavelength stabilization of high power laser systems using volume holographic gratings** [8965-27]
V. C. Negoita, Y. Li, T. Barnowski, J. Jiang, H. An, R. Roff, M. Shih, T. Vethake, TRUMPF Photonics (United States); T. Gottwald, S. Schad, TRUMPF Laser GmbH & Co. KG (Germany); G. Treusch, TRUMPF Photonics (United States)
- 8965 0T **New highly efficient laser bars and laser arrays for 8xx-10xx nm pumping applications** [8965-28]
A. Pietrzak, R. Huelsewede, M. Zorn, O. Hirsekorn, J. Sebastian, JENOPTIK Diode Lab. GmbH (Germany); J. Meusel, V. Bluemel, P. Hennig, JENOPTIK Laser GmbH (Germany)
- 8965 0U **Methods for slow axis beam quality improvement of high power broad area diode lasers** [8965-29]
H. An, Y. Xiong, C.-L. Jiang, TRUMPF Photonics (United States); B. Schmidt, TRUMPF Laser Marking Systems AG (Switzerland); G. Treusch, TRUMPF Photonics (United States)

SESSION 7 HIGH POWER DIODE LASER OPTICS

- 8965 0V **Automated alignment of fast-axis collimator lenses for high-power diode laser bars** [8965-30]
T. Westphalen, Fraunhofer-Institut für Lasertechnik (Germany); S. Hengesbach, C. Holly, RWTH Aachen Univ. (Germany); M. Traub, D. Hoffmann, Fraunhofer-Institut für Lasertechnik (Germany)
- 8965 0W **Aplanatic beam shaping for diffraction limited beam circularization of tapered laser diodes** [8965-31]
A. Heinrich, C. Hagen, M. Harlander, B. Nussbaumer, Pantec Engineering AG (Liechtenstein)
- 8965 0Y **Robust adhesive precision bonding in automated assembly cells** [8965-33]
T. Müller, S. Haag, T. Bastuck, Fraunhofer-Institut für Produktionstechnologie (Germany); T. Gisler, H. Moser, FISBA OPTIK AG (Switzerland); P. Uusimaa, Modulight, Inc. (Finland); C. Axt, Rohwedder Micro Assembly GmbH (Germany); C. Brecher, Fraunhofer-Institut für Produktionstechnologie (Germany)

SESSION 8 HIGH POWER DEVICES III

- 8965 10 **High power laser diodes at 14xx-nm wavelength range for industrial and medical applications** [8965-35]
J. Telkkälä, J. Boucart, M. Krejci, T. Crum, N. Lichtenstein, II-VI Laser Enterprise GmbH (Switzerland)
- 8965 11 **High power and high efficiency 14xx-nm wavelength Fabry-Perot lasers** [8965-36]
T. Tanbun-Ek, R. Pathak, Z. Wang, H. Winhold, S. Kim, Coherent Inc. (United States)
- 8965 12 **High power diode lasers emitting from 639 nm to 690 nm** [8965-37]
L. Bao, M. Grimshaw, M. DeVito, M. Kanskar, W. Dong, X. Guan, S. Zhang, J. Patterson, P. Dickerson, K. Kennedy, S. Li, J. Haden, R. Martinsen, nLIGHT Corp. (United States)
- 8965 13 **High-power visible spectrum diode lasers for display and medical applications: beam sources with tailored beam quality and spectral characteristics** [8965-38]
A. Unger, B. Köhler, J. Biesenbach, DILAS Diodenlaser GmbH (Germany)
- 8965 14 **High power and high efficiency kW 88x-nm multi-junction pulsed diode laser bars and arrays** [8965-39]
Z. Chen, J. Bai, W. Dong, X. Guan, S. Zhang, S. Elim, L. Bao, M. Grimshaw, M. DeVito, M. Kanskar, nLIGHT Corp. (United States)
- 8965 15 **Simple design for fiber coupled 9xx-nm kW-QCW pump module with high duty cycle based on customized chips and lateral heat removal** [8965-40]
W. Pittroff, B. Eppich, G. Erbert, R. Platz, Ferdinand-Braun-Institut (Germany); D. Tyralla, Technische Hochschule Wildau (Germany); G. Tränkle, Ferdinand-Braun-Institut (Germany)

POSTER SESSION

- 8965 16 **Characterization of diode-laser stacks for high-energy-class solid state lasers** [8965-7]
J. Pilar , P. Sikocinski, A. Pranowicz, M. Divoky, Institute of Physics of the ASCR, v.v.i. (Czech Republic); P. Crump, R. Staske, Ferdinand-Braun-Institut (Germany); A. Lucianetti, T. Mocek, Institute of Physics of the ASCR, v.v.i. (Czech Republic)
- 8965 18 **Laser technology in automotive lighting** [8965-43]
C. Altinöz, Istanbul Technical Univ. (Turkey) and Automotive Lighting TR-Mako (Turkey)
- 8965 19 **High-resolution spectral mapping of a lensed high power laser bar** [8965-45]
C. D. Gannon, Rose-Hulman Institute of Technology (United States); T. Koenning, S. G. Patterson, DILAS Diode Laser, Inc. (United States); P. O. Leisher, Rose-Hulman Institute of Technology (United States)
- 8965 1A **Coupling of DBR tapered diode laser radiation into a single-mode-fiber at high powers** [8965-47]
D. Jedrzejczyk, Ferdinand-Braun-Institut (Germany); P. Asbahr, Ferdinand-Braun-Institut (Germany) and FCC FiberCableConnect GmbH (Germany); M. Pulka, FCC FibreCableConnect GmbH (Germany); B. Eppich, K. Paschke, Ferdinand-Braun-Institut (Germany)
- 8965 1B **Design and fabrication of high power single mode double-trench ridge waveguide laser** [8965-48]
S. Tan, T. Zhai, Institute of Semiconductors (China); W. Wang, R. Zhang, D. Lu, C. Ji, Institute of Semiconductors (China)

Author Index

Conference Committee

Symposium Chairs

Bo Gu, Bos Photonics (United States)
Andreas Tünnermann, Fraunhofer-Institut für Angewandte Optik und
Feinmechanik (Germany) and Friedrich-Schiller-Universität Jena
(Germany)

Symposium Co-chairs

Guido Hennig, Daetwyler Graphics AG (Switzerland)
Yongfeng Lu, University of Nebraska-Lincoln (United States)

Program Track Chair

Klaus P. Streubel, OSRAM AG (Germany)

Conference Chair

Mark S. Zediker, Foro Energy, Inc. (United States)

Conference Program Committee

Friedrich G. Bachmann, FriBa LaserNet (Germany)
Stefan W. Heinemann, TRUMPF Photonics (United States)
Volker Krause, Laserline GmbH (Germany)
Robert J. Martinsen, nLIGHT Corporation (United States)
Kurt J. Linden, Spire Corporation (United States)
Erik P. Zucker, JDSU (United States)

Session Chairs

- 1 High Power Diode Laser Reliability I
Erik P. Zucker, JDSU (United States)
- 2 High Power Diode Laser Reliability II
Erik P. Zucker, JDSU (United States)
- 3 High Power Beam Combining I
Stefan W. Heinemann, TRUMPF Photonics (United States)
- 4 High Power Beam Combining II
Volker Krause, Laserline GmbH (Germany)

- 5 High Power Devices I
Rob Martinsen, nLIGHT Corporation (United States)
- 6 High Power Devices II
Rob Martinsen, nLIGHT Corporation (United States)
- 7 High Power Diode Laser Optics
Stefan W. Heinemann, TRUMPF Photonics (United States)
- 8 High Power Devices III
Kurt J. Linden, Spire Corporation (United States)