## PROCEEDINGS OF SPIE

## Electro-Optical and Infrared Systems: Technology and Applications XVII

Duncan L. Hickman Helge Bürsing Editors

21 – 25 September 2020 Online Only, United Kingdom

Sponsored by SPIE

Cooperating Organisations
European Optical Society
Cranfield University (United Kingdom)
Technology Scotland (United Kingdom)
Visit Scotland (United Kingdom)
CENSIS (United Kingdom)

Published by SPIE

**Volume 11537** 

Proceedings of SPIE 0277-786X, V. 11537

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

Electro-Optical and Infrared Systems: Technology and Applications XVII, edited by Duncan L. Hickman, Helge Bürsing, Proc. of SPIE Vol. 11537, 1153701 © 2020 SPIE · CCC code: 0277-786X/20/\$21 · doi: 10.1117/12.2584623

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Electro-Optical and Infrared Systems: Technology and Applications XVII*, edited by Duncan L. Hickman, Helge Bürsing, Proceedings of SPIE Vol. 11537 (SPIE, Bellingham, WA, 2020) Seven-digit Article CID Number.

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510638877

ISBN: 9781510638884 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

Copyright © 2020, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$21.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/20/\$21.00.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.



**Paper Numbering:** Proceedings of SPIE follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

## **Contents**

|          | SENSOR TECHNOLOGY AND DEVICES                                                                                                                             |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| 11537 04 | Scalable nanotube-microbolometer technology with pixel pitches from 12 down to 6 $\mu m $ [11537-3]                                                       |
|          | SYSTEMS AND APPLICATIONS                                                                                                                                  |
| 11537 06 | Assessment of new camouflage prototypes deployed in semi-desertic environments using hyperspectral polarimetric imaging sensors (Invited Paper) [11537-5] |
| 11537 07 | Compact static Fourier transform spectrometer for time-resolved mid-infrared spectroscopy [11537-6]                                                       |
|          | MODELLING AND SIMULATION                                                                                                                                  |
|          |                                                                                                                                                           |
| 11537 OA | Atmospheric dispersion in oblique imaging from an airborne platform [11537-9]                                                                             |
| 11537 OB | Improved modulation transfer function evaluation method of a camera at any field point with a scanning tilted knife edge [11537-10]                       |
| 11537 OC | Multi-level fractal test target: corner-point criterion for evaluating visible and digital fusion imagers [11537-11]                                      |
| 11537 OD | Performance estimation of a real-time rosette imager [11537-12]                                                                                           |
|          |                                                                                                                                                           |
|          | PROCESSING AND ANALYSIS I                                                                                                                                 |
| 11537 OE | Assessing handheld object ID performance of digital night vision VNIR/LWIR fusion (Invited Paper) [11537-13]                                              |
| 11537 0G | An efficient low-cost calibration board for long-wave infrared (LWIR) camera [11537-15]                                                                   |
| 11537 OH | Colour fusion of RGB and NIR imagery for surveillance applications [11537-16]                                                                             |
|          |                                                                                                                                                           |
|          | FUTURE EOIR FOR DEFENCE                                                                                                                                   |
| 11537 OJ | Development of III-V barrier diode radiation-hard infrared detectors for space applications [11537-18]                                                    |

| 11537 OK             | Coherence imaging for laser detection [11537-19]                                    |
|----------------------|-------------------------------------------------------------------------------------|
| 11537 OL             | All-optical modulator for gated range finding and active imaging in LWIR [11537-20] |
| 11537 OM             | High Pixel Acquisition Rate (HiPAR) lidar [11537-21]                                |
|                      |                                                                                     |
|                      | DOTED SESSION                                                                       |
|                      | POSTER SESSION                                                                      |
| 11537 0Q             | Preliminary analysis of shooting training systems: SPARTAN [11537-25]               |
| 11537 0Q<br>11537 0R |                                                                                     |