PROCEEDINGS OF SPIE

Active and Passive Smart Structures and Integrated Systems XVII

Jinkyu Yang *Editors*

13–16 March 2023 Long Beach, California, United States

Sponsored and Published by SPIE

Volume 12483

Proceedings of SPIE 0277-786X, V. 12483

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

Active and Passive Smart Structures and Integrated Systems XVII, edited by Jinkyu Yang, Proc. of SPIE Vol. 12483, 1248301 © 2023 SPIE · 0277-786X · doi: 10.1117/12.2685027

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in Active and Passive Smart Structures and Integrated Systems XVII, edited by Jinkyu Yang, Proc. of SPIE 12483, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510660731

ISBN: 9781510660748 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time)

SPIE.org

Copyright © 2023 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

ix Conference Committee **ORIGAMI-INSPIRED METAMATERIALS** 12483 02 An origami-inspired tensegrity structure with multistability [12483-1] 12483 03 Experimental analysis on nonlinear elastic wave characteristics of metallic origami cylinder [12483-3] NON-RECIPROCAL AND NON-CONVENTIONAL METAMATERIALS: **JOINT SESSION WITH 12483 AND 12488** 12483 04 Isotropic hybrid architected foams with enhanced energy absorption [12483-12] 12483 05 Dispersion characteristics of a ZPR hourglass lattice structure [12483-14] 12483 06 A novel anti-collision strategy with integrated tensegrity for the bridge pier [12483-15] **RESONATOR-BASED METAMATERIALS: JOINT SESSION WITH 12483 AND 12488** 12483 07 Resonator positioning for enlarged bandgap in mechanical metastructure with finite resonators [12483-19] 12483 08 Adaptive piezoelectric metamaterials leveraging non-uniform local resonators [12483-20] 12483 09 Wave propagation study in metamaterial sandwich structure with periodically inserted hourglass resonators [12483-21] MULTI-FUNCTIONAL AND NOVEL-TYPE METAMATERIALS: JOINT SESSION WITH 12483 AND 12488 12483 OB Experimental realization of physical reservoir computing-based mechano-intelligence in self-adaptive phononic metastructures [12483-23] 12483 0C Self-powered electronic mechanical metamaterials [12483-25] 12483 0D Elastic wave manipulation implemented using a locally resonant metasurface with digitally tunable piezoelectric shunts [12483-26]

12483 OE	Experimental assessment to evaluate adhesion in hybrid composite structures containing shape memory alloy layers [12483-27]
	PIEZO-BASED MATERIALS
12483 OF	Active deployment of ultra-thin composite booms with piezoelectric actuation [12483-28]
12483 0G	Ultrasonic piezoelectric transducer design with concave surface [12483-29]
12483 OH	Structural modal parameter identification incorporating with semi-active piezoelectric control [12483-30]
12483 OI	Piezoelectric ring-stack actuator design for high-frequency valve [12483-31]
	SMA-BASED MATERIALS
12483 OJ	Discontinuous refractive index in metamaterial study [12483-94]
12483 OK	Design of a lightweight SMA driven parallel gripper for collaborative robots [12483-34]
12483 OL	Progress on the study of grain growth and tensile cycling effects on the damping performance in Cu-Al-Mn shape memory alloy thin sheets [12483-36]
	MODELING, OPTIMIZATION, SIGNAL PROCESSING, CONTROL, AND DESIGN OF INTEGRATED SYSTEMS
12483 OM	Silk-printed retroreflective markers for infrastructure-maintenance vehicles in curved tunnels [12483-40]
12483 ON	An experimental investigation of dynamic motions of a small-scale magnetoactive soft robot undergoing large nonlinear movements [12483-41]
12483 00	Enhancement of a smart stretchable resistive heater textile using printed electronic coatings: towards application in automobile [12483-42]
12483 OP	Effects of laser cutting on the chemical composition and phase transformation capacity in Cu-Al-Mn shape memory alloy sheets [12483-43]
12483 0Q	A terahertz time-domain spectroscopy-based intelligent microwave vacuum dehydration system for in-situ monitoring of real-time moisture migration during dehydration of agricultural products [12483-44]

ENERGY HARVESTING AND SCAVENGING I

Acceleration-waveform-sending wireless sensor node powered by piezoelectric vibration energy harvester [12483-45] 12483 0S Torque sensing and energy harvesting based on phase shift in two-point magnetic plucking [12483-46] 12483 0T Theoretical investigation of bistable piezoelectric energy harvester using frequency down-conversion [12483-48] 12483 0U Advances in autonomous materials and structures [12483-49] ENERGY HARVESTING AND SCAVENGING II 12483 0V Effect of piezoelectric material nonlinearity on vibration-based piezoelectric energy harvesting [12483-51] 12483 0W A vibro-impact triboelectric energy harvester with magnetic bistability for wide bandwidth [12483-52] 12483 0X A theoretical investigation of a two-degree-of-freedom vibro-impact triboelectric energy harvester for larger bandwidth [12483-53] ENERGY HARVESTING AND SCAVENGING III 12483 0Y Numerical simulation of double impact 2DOF triboelectric energy harvesting for extended bandwidth [12483-54] 12483 0Z A nonlinear piezoelectric energy harvester with multiple auxetic unit cells [12483-57] Modeling of wind-induced vibration control and energy harvesting of traffic signal structures [12483-59] SMART SENSING AND SIGNAL PROCESSING FOR DIAGNOSTICS AND PROGNOSTICS 12483 11 Physical reservoir-based structural health monitoring: a preliminary study [12483-62] Comparison of semi-active damping strategies for magnetorheological sandwich beams [12483-64] Plezoelectric-array-based MISO diagnostic system for CNN-condition monitoring of bearing/gearbox instruments [12483-65]		
[12483 0T] Theoretical investigation of bistable piezoelectric energy harvester using frequency down-conversion [12483-48] 12483 0U Advances in autonomous materials and structures [12483-49] ENERGY HARVESTING AND SCAVENGING II 12483 0V Effect of piezoelectric material nonlinearity on vibration-based piezoelectric energy harvesting [12483-51] 12483 0W A vibro-impact triboelectric energy harvester with magnetic bistability for wide bandwidth [12483-52] 12483 0X A theoretical investigation of a two-degree-of-freedom vibro-impact triboelectric energy harvester for larger bandwidth [12483-53] ENERGY HARVESTING AND SCAVENGING III 12483 0Y Numerical simulation of double impact 2DOF triboelectric energy harvesting for extended bandwidth [12483-54] 12483 10 Modeling of wind-induced vibration control and energy harvesting of traffic signal structures [12483-59] SMART SENSING AND SIGNAL PROCESSING FOR DIAGNOSTICS AND PROGNOSTICS 12483 11 Physical reservoir-based structural health monitoring: a preliminary study [12483-62] Comparison of semi-active damping strategies for magnetorheological sandwich beams [12483-64] Piezoelectric-array-based MISO diagnostic system for CNN-condition monitoring of	12483 OR	
down-conversion [12483-48] Advances in autonomous materials and structures [12483-49] ENERGY HARVESTING AND SCAVENGING II 12483 0V Effect of piezoelectric material nonlinearity on vibration-based piezoelectric energy harvesting [12483-51] 12483 0W A vibro-impact triboelectric energy harvester with magnetic bistability for wide bandwidth [12483-52] 12483 0X A theoretical investigation of a two-degree-of-freedom vibro-impact triboelectric energy harvester for larger bandwidth [12483-53] ENERGY HARVESTING AND SCAVENGING III 12483 0Y Numerical simulation of double impact 2DOF triboelectric energy harvesting for extended bandwidth [12483-54] 12483 0Z A nonlinear piezoelectric energy harvester with multiple auxetic unit cells [12483-57] Modeling of wind-induced vibration control and energy harvesting of traffic signal structures [12483-59] SMART SENSING AND SIGNAL PROCESSING FOR DIAGNOSTICS AND PROGNOSTICS Physical reservoir-based structural health monitoring: a preliminary study [12483-62] Comparison of semi-active damping strategies for magnetorheological sandwich beams [12483-64] Piezoelectric-array-based MISO diagnostic system for CNN-condition monitoring of	12483 OS	
ENERGY HARVESTING AND SCAVENGING II 12483 0V Effect of piezoelectric material nonlinearity on vibration-based piezoelectric energy harvesting [12483-51] 12483 0W A vibro-impact triboelectric energy harvester with magnetic bistability for wide bandwidth [12483-52] 12483 0X A theoretical investigation of a two-degree-of-freedom vibro-impact triboelectric energy harvester for larger bandwidth [12483-53] ENERGY HARVESTING AND SCAVENGING III 12483 0Y Numerical simulation of double impact 2DOF triboelectric energy harvesting for extended bandwidth [12483-54] 12483 0Z A nonlinear piezoelectric energy harvester with multiple auxetic unit cells [12483-57] 12483 10 Modeling of wind-induced vibration control and energy harvesting of traffic signal structures [12483-59] SMART SENSING AND SIGNAL PROCESSING FOR DIAGNOSTICS AND PROGNOSTICS 12483 11 Physical reservoir-based structural health monitoring: a preliminary study [12483-62] 12483 13 Comparison of semi-active damping strategies for magnetorheological sandwich beams [12483-64] Plezoelectric-array-based MISO diagnostic system for CNN-condition monitoring of	12483 OT	
Effect of piezoelectric material nonlinearity on vibration-based piezoelectric energy harvesting [12483-51] 12483 0W A vibro-impact triboelectric energy harvester with magnetic bistability for wide bandwidth [12483-52] 12483 0X A theoretical investigation of a two-degree-of-freedom vibro-impact triboelectric energy harvester for larger bandwidth [12483-53] ENERGY HARVESTING AND SCAVENGING III 12483 0Y Numerical simulation of double impact 2DOF triboelectric energy harvesting for extended bandwidth [12483-54] 12483 0Z A nonlinear piezoelectric energy harvester with multiple auxetic unit cells [12483-57] Modeling of wind-induced vibration control and energy harvesting of traffic signal structures [12483-59] SMART SENSING AND SIGNAL PROCESSING FOR DIAGNOSTICS AND PROGNOSTICS 12483 11 Physical reservoir-based structural health monitoring: a preliminary study [12483-62] Comparison of semi-active damping strategies for magnetorheological sandwich beams [12483-64] Piezoelectric-array-based MISO diagnostic system for CNN-condition monitoring of	12483 OU	Advances in autonomous materials and structures [12483-49]
[12483-51] 12483 0W A vibro-impact triboelectric energy harvester with magnetic bistability for wide bandwidth [12483-52] 12483 0X A theoretical investigation of a two-degree-of-freedom vibro-impact triboelectric energy harvester for larger bandwidth [12483-53] ENERGY HARVESTING AND SCAVENGING III 12483 0Y Numerical simulation of double impact 2DOF triboelectric energy harvesting for extended bandwidth [12483-54] 12483 0Z A nonlinear piezoelectric energy harvester with multiple auxetic unit cells [12483-57] 12483 10 Modeling of wind-induced vibration control and energy harvesting of traffic signal structures [12483-59] SMART SENSING AND SIGNAL PROCESSING FOR DIAGNOSTICS AND PROGNOSTICS 12483 11 Physical reservoir-based structural health monitoring: a preliminary study [12483-62] 12483 13 Comparison of semi-active damping strategies for magnetorheological sandwich beams [12483-64] Piezoelectric-array-based MISO diagnostic system for CNN-condition monitoring of		ENERGY HARVESTING AND SCAVENGING II
[12483 0X] A theoretical investigation of a two-degree-of-freedom vibro-impact triboelectric energy harvester for larger bandwidth [12483-53] ENERGY HARVESTING AND SCAVENGING III 12483 0Y Numerical simulation of double impact 2DOF triboelectric energy harvesting for extended bandwidth [12483-54] A nonlinear piezoelectric energy harvester with multiple auxetic unit cells [12483-57] Modeling of wind-induced vibration control and energy harvesting of traffic signal structures [12483-59] SMART SENSING AND SIGNAL PROCESSING FOR DIAGNOSTICS AND PROGNOSTICS Physical reservoir-based structural health monitoring: a preliminary study [12483-62] Comparison of semi-active damping strategies for magnetorheological sandwich beams [12483-64] Piezoelectric-array-based MISO diagnostic system for CNN-condition monitoring of	12483 OV	Effect of piezoelectric material nonlinearity on vibration-based piezoelectric energy harvesting [12483-51]
ENERGY HARVESTING AND SCAVENGING III 12483 0Y Numerical simulation of double impact 2DOF triboelectric energy harvesting for extended bandwidth [12483-54] 12483 0Z A nonlinear piezoelectric energy harvester with multiple auxetic unit cells [12483-57] 12483 10 Modeling of wind-induced vibration control and energy harvesting of traffic signal structures [12483-59] SMART SENSING AND SIGNAL PROCESSING FOR DIAGNOSTICS AND PROGNOSTICS 12483 11 Physical reservoir-based structural health monitoring: a preliminary study [12483-62] 12483 13 Comparison of semi-active damping strategies for magnetorheological sandwich beams [12483-64] Piezoelectric-array-based MISO diagnostic system for CNN-condition monitoring of	12483 OW	
Numerical simulation of double impact 2DOF triboelectric energy harvesting for extended bandwidth [12483-54] A nonlinear piezoelectric energy harvester with multiple auxetic unit cells [12483-57] Modeling of wind-induced vibration control and energy harvesting of traffic signal structures [12483-59] SMART SENSING AND SIGNAL PROCESSING FOR DIAGNOSTICS AND PROGNOSTICS Physical reservoir-based structural health monitoring: a preliminary study [12483-62] Comparison of semi-active damping strategies for magnetorheological sandwich beams [12483-64] Piezoelectric-array-based MISO diagnostic system for CNN-condition monitoring of	12483 OX	· · · · · · · · · · · · · · · · · · ·
bandwidth [12483-54] 12483 0Z A nonlinear piezoelectric energy harvester with multiple auxetic unit cells [12483-57] 12483 10 Modeling of wind-induced vibration control and energy harvesting of traffic signal structures [12483-59] SMART SENSING AND SIGNAL PROCESSING FOR DIAGNOSTICS AND PROGNOSTICS 12483 11 Physical reservoir-based structural health monitoring: a preliminary study [12483-62] 12483 13 Comparison of semi-active damping strategies for magnetorheological sandwich beams [12483-64] 12483 14 Piezoelectric-array-based MISO diagnostic system for CNN-condition monitoring of		ENERGY HARVESTING AND SCAVENGING III
Modeling of wind-induced vibration control and energy harvesting of traffic signal structures [12483-59] SMART SENSING AND SIGNAL PROCESSING FOR DIAGNOSTICS AND PROGNOSTICS Physical reservoir-based structural health monitoring: a preliminary study [12483-62] Comparison of semi-active damping strategies for magnetorheological sandwich beams [12483-64] Piezoelectric-array-based MISO diagnostic system for CNN-condition monitoring of	12483 OY	
SMART SENSING AND SIGNAL PROCESSING FOR DIAGNOSTICS AND PROGNOSTICS Physical reservoir-based structural health monitoring: a preliminary study [12483-62] Comparison of semi-active damping strategies for magnetorheological sandwich beams [12483-64] Piezoelectric-array-based MISO diagnostic system for CNN-condition monitoring of	12483 OZ	A nonlinear piezoelectric energy harvester with multiple auxetic unit cells [12483-57]
Physical reservoir-based structural health monitoring: a preliminary study [12483-62] Comparison of semi-active damping strategies for magnetorheological sandwich beams [12483-64] Piezoelectric-array-based MISO diagnostic system for CNN-condition monitoring of	12483 10	
Comparison of semi-active damping strategies for magnetorheological sandwich beams [12483-64] Piezoelectric-array-based MISO diagnostic system for CNN-condition monitoring of		SMART SENSING AND SIGNAL PROCESSING FOR DIAGNOSTICS AND PROGNOSTICS
[12483-64] Piezoelectric-array-based MISO diagnostic system for CNN-condition monitoring of	12483 11	Physical reservoir-based structural health monitoring: a preliminary study [12483-62]
	12483 13	
	12483 14	

PASSIVE AND ACTIVE VIBRATION ISOLATION SYSTEMS

12483 15	Digitally programmable nonlinear energy sink via essentially nonlinear synthetic impedance circuit [12483-66]
12483 16	Hardware implementation of nonstationary structural dynamics forecasting [12483-67]
12483 17	Analytical and experimental investigation of vibration for reducing cleaning time of water filtration membranes [12483-68]
12483 18	Vibration control of a two-story base-isolated building using a new tuned mass multi-sliding friction damper [12483-69]
	ACOUSTICS AND FLUID-STRUCTURE INTERACTION
12483 19	Smart acoustic lining for UHBR technologies engine: from the design of an electroacoustic metasurface to experimental characterization under flow [12483-72]
12483 1A	Measurements of the second-order elastic constants of powder-bed fusion 17-4 PH AM steel using ultrasound [12483-73]
12483 1C	Design, manufacturing, and testing of a morphing winglet for a regional turboprop aircraft [12483-98]
12483 1D	SMA blade twist system: from the requirements to the demonstration in relevant environment [12483-99]
12483 1E	Adaptive structures for noise and vibration guidance, monitoring, and control [12483-100]
	POSTER SESSION
12483 1F	Piezoelectric metamaterial with self-tuning resonant shunt circuits [12483-77]
12483 1G	Acoustic energy transfer using piezoelectric transducers [12483-78]
12483 1H	Investigation of a dynamic active/passive noise cancellation of polyborosiloxane thin membrane gel [12483-79]
12483 11	Traveling wave characteristics on two-dimensional finite structures using Hilbert transform [12483-81]
12483 1J	Making a brain on a structure: a conceptual study of elastic wave field neural networks for structural health monitoring [12483-83]
12483 1K	Design and development of novel rotary actuation system based on shape memory alloy springs driven mechanism arranged in bipennate muscle architecture [12483-85]

12483 1L	Rotary piezoelectric motor using a rectangular vibrator of four actuators [12483-88]
12483 1M	Self-propelled two-dimensional rotary piezoelectric plate actuator [12483-89]
12483 1N	Driving power supply for an avionic piezoelectric deicing system [12483-90]
12483 10	Meso-scale energy harvester: a comparison between MEMS and micro-machined designs [12483-92]
12483 1P	On the modeling and optimization of an electromagnetic energy harvester [12483-93]
	DIGITAL POSTER SESSION
12483 1Q	Influence of manufacturing parameters on the quality of electrodes of a multi-layer capacitive strain sensor based on dielectric elastomers [12483-86]

Conference Committee

Symposium Chairs

Anastasia Muliana, Texas A&M University (United States)
Wieslaw M. Ostachowicz, The Szewalski Institute of Fluid-Flow Machinery (Poland)

Symposium Co-chairs

Haiying Huang, The University of Texas at Arlington (United States) **Hani E. Naguib**, University of Toronto (Canada)

Conference Chair

Jinkyu Yang, University of Washington (United States)

Conference Co-chairs

Guoliang Huang, University of Missouri (United States)
 Mostafa A. Nouh, University at Buffalo (United States)
 Shima Shahab, Virginia Polytechnic Institute and State University (United States)
 Serife Tol, University of Michigan (United States)

Conference Program Committee

Amir H. Alavi, University of Pittsburgh (United States)
 Steven R. Anton, Tennessee Technological University (United States)
 Andres F. Arrieta, Purdue University (United States)

Hiroshi Asanuma, Chiba University (Japan)

Diann E. Brei, University of Michigan (United States)

Matthew Bryant, North Carolina State University (United States)

Gregory P. Carman, University of California, Los Angeles (United States)

Eun Jung Chae, California State University, Long Beach (United States)

Seung-Bok Choi, Inha University (Korea, Republic of)

Amir H. Danesh-Yazdi, Rose-Hulman Institute of Technology (United States)

Carlos De Marqui Jr., Universidade de São Paulo (Brazil)

Alper Erturk, Georgia Institute of Technology (United States)

Alison B. Flatau, University of Maryland, College Park (United States)

James M. Gibert, Purdue University (United States)

Mehrdad N. Ghasemi-Nejhad, University of Hawai'i at Manoa (United States)

Victor Giurgiutiu, University of South Carolina (United States)

Nam Seo Goo, Konkuk University (Korea, Republic of)

Faramarz Gordaninejad, University of Nevada, Reno (United States)

Jae-Hung Han, KAIST (Korea, Republic of)

Nakhiah C. Goulbourne, University of Michigan (United States) and The National Science Foundation (United States)

Ryan L. Harne, The Pennsylvania State University (United States)

Daniel J. Inman, University of Michigan (United States)

Hyung-Jo Jung, KAIST (Korea, Republic of)

Andrew Lee, North Carolina State University (United States)

Jung-Ryul Lee, KAIST (Korea, Republic of)

Soobum Lee, University of Maryland, Baltimore County (United States)

Wei-Hsin Liao, The Chinese University of Hong Kong (Hong Kong, China)

Zhu Mao, Worcester Polytechnic Institute (United States)

Jochen Mueller, Johns Hopkins University (United States)

Junrui Liang, ShanghaiTech University (China)

Gyuhae Park, Chonnam National University (Korea, Republic of)

Fabio Semperlotti, Purdue University (United States)

Yi-Chung Shu, National Taiwan University (Taiwan)

Yuyang Song, Toyota Motor North America, Inc. (United States)

Lihua Tang, The University of Auckland (New Zealand)

Henry A. Sodano, University of Michigan (United States)

Jiong Tang, University of Connecticut (United States)

Kon-Well Wang, University of Michigan (United States)

Ya S. Wang, Texas A&M University (United States)

Norman M. Wereley, University of Maryland, College Park (United States)

Byeng D. Youn, Seoul National University (Korea, Republic of)

Haifeng Zhang, University of North Texas (United States)

Lei Zuo, Virginia Polytechnic Institute and State University (United States)