# PROCEEDINGS OF SPIE

# Infrared Technology and Applications XLIX

Gabor F. Fulop David Z. Ting Lucy L. Zheng Editors

30 April–4 May 2023 Orlando, Florida, United States

Sponsored and Published by SPIE

Volume 12534

Proceedings of SPIE 0277-786X, V. 12534

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

Infrared Technology and Applications XLIX, edited by Gabor F. Fulop, David Z. Ting, Lucy L. Zheng, Proc. of SPIE Vol. 12534, 1253401 · © 2023 SPIE 0277-786X · doi: 10.1117/12.2689009

Proc. of SPIE Vol. 12534 1253401-1

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings: Author(s), "Title of Paper," in *Infrared Technology and Applications XLIX*, edited by Gabor F. Fulop, David Z. Ting, Lucy L. Zheng, Proc. of SPIE 12534, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X ISSN: 1996-756X (electronic)

ISBN: 9781510661820 ISBN: 9781510661837 (electronic)

Published by **SPIE** P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time) SPIE.org Copyright © 2023 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.



**Paper Numbering:** A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

• The first five digits correspond to the SPIE volume number.

• The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

# Contents

#### vii Conference Committee

|          | SWIR  |
|----------|---|
| 12534 03 | Small pixel pitch developments in the short wave infrared range at Lynred [12534-1]   |
| 12534 05 | SWIFT EI: event-based SWIR sensor for tactical applications (Invited Paper) [12534-3] |
| 12534 06 | High-definition broad-band visible-SWIR sensors for laser mark detection [12534-4]    |
| 12534 07 | Uncooled SWIR detection using conjugated polymers [12534-5]                           |

#### ACTIVE SWIR

| 12534 08 | Advanced SWIR APDs for multimode applications [12534-6] |
|----------|---|
|          |   |

12534 0A Investigation of Zn-diffusion in 2-micron InGaAs/GaAsSb superlattice planar diodes using atomic layer deposition of ZnO [12534-8]

#### CRYOCOOLERS

| 12534 OB | Improved reliability and flexibility of Thales RM2 rotary cooler [12534-9] |
|----------|--|
|----------|--|

12534 0C Low-cost cryogenic technologies for high-operating temperature infrared imaging [12534-10]

|          | T2SL/HOT I  |
|----------|---|
| 12534 OF | Overestimating the performance of photon detectors [12534-72]   |
| 12534 OH | Type-II superlattice detectors for high-performance SWaP detectors and HOT HD applications at IRnova (Invited Paper) [12534-15] |
| 12534 01 | Development of MWIR T2SL photodetectors at ASELSAN Inc. [12534-17]  |

## 12534 0J Embedded dielectric filter designs for spectral separation in a focal plane array [12534-18]

### T2SL/HOT II

| 12534 OK | Performance analysis of Ga-free T2SL infrared barrier detector [12534-19]   |
|----------|---|
| 12534 OL | 640 x 512 dual-band midwave and longwave infrared focal plane array at i3system [12534-20]                                    |
| 12534 OM | Direct bonding of III-V detectors to silicon for infrared focal plane arrays [12534-21]                                       |
| 12534 ON | Small pixel pitch, high-definition MWIR, and dual band SWIR/MWIR imaging sensors for SWaP-constrained applications [12534-22] |
|          | MCT AND HOT   |
| 12534 OP | Study of damages caused by proton irradiation on MCT n/p focal plane cooled arrays [12534-24]                                 |
| 12534 0Q | Discussion on diffusion current suppression in HgCdTe MWIR detectors [12534-25]   |
| 12534 OR | Low SWaP, MWIR, and LWIR modules with small pixel pitch [12534-26]  |
| 12534 OS | CdZnTe wafer processing technology at ASELSAN Inc. [12534-27]   |
| 12534 OT | Developments in MCT technology at ASELSAN Inc. [12534-28]   |
|          |   |
|          | SMALL PIXEL PITCH I   |
| 12534 OW | High-definition and ultra-high-definition IR camera technology (Invited Paper) [12534-29]                                     |
| 12534 OX | High-definition imaging for long-range border surveillance and tactical imaging [12534-30]                                    |
|          |   |
| _        | SMALL PIXEL PITCH II  |
| 12534 OZ | SWIR and NIR low-SWaP zoom lenses: optical design challenges and performances [12534-74]                                      |
| 12534 11 | Sub-10µm pitch HOT technologies development at Lynred [12534-33]  |
| 12534 12 | Use of EBIC for MTF measurements of HOT MCT focal plane planar array with very small pixel pitches [12534-34]                 |

| 12534 13   | Small pixel pitch MCT P on N MWIR photodiodes at DEFIR: towards 7.5µm and beyond with very high image quality [12534-35]  |
|--|---|
| 12534 14   | Advanced MAWS and DAS IR solutions based on HOT MWIR technology [12534-52]  |
|  | AI/DL TECHNOLOGY APPLIED IN ATR AND IR SYSTEMS II: JOINT SESSION WITH CONFERENCES 12521 AND 12534   |
| 12534 16   | Quantized deep learning for low-cost IR sensors with layer-wise relevance propagation [12534-36]  |
| 12534 17   | Joint tone mapping and denoising of thermal infrared images via multi-scale Retinex and multi-task learning [12534-37]  |
|  | AI/DL TECHNOLOGY APPLIED IN ATR AND IR SYSTEMS III: JOINT SESSION WITH CONFERENCES 12521 AND 12534  |
| 12534 18   | Transfer learning using infrared and optical full motion video data for gender classification (Invited Paper) [12534-38]  |
|  | UNCOOLED DETECTORS AND SENSORS  |
|  |   |
| 12534 19   | Capabilities of scaled microbolometers for uncooled thermal imaging below 10µm pixel pitch (Invited Paper) [12534-39]   |
| 12534 19<br>12534 1A   | Capabilities of scaled microbolometers for uncooled thermal imaging below 10µm pixel pitch<br>(Invited Paper) [12534-39]<br>Status of 8.5µm pitch bolometer developments at Lynred [12534-40]   |
| 12534 19<br>12534 1A<br>12534 1C                                     | Capabilities of scaled microbolometers for uncooled thermal imaging below 10µm pixel pitch<br>(Invited Paper) [12534-39]<br>Status of 8.5µm pitch bolometer developments at Lynred [12534-40]<br>TiO <sub>x</sub> -based uncooled 8µm FPA development at i3system [12534-42]  |
| 12534 19<br>12534 1A<br>12534 1C<br>12534 1D                         | <ul> <li>Capabilities of scaled microbolometers for uncooled thermal imaging below 10µm pixel pitch (Invited Paper) [12534-39]</li> <li>Status of 8.5µm pitch bolometer developments at Lynred [12534-40]</li> <li>TiO<sub>x</sub>-based uncooled 8µm FPA development at i3system [12534-42]</li> <li>Multi-spectral uncooled infrared sensors fabricated using encapsulated metal-insulator-metal plasmonic metamaterial absorbers [12534-43]</li> </ul>   |
| 12534 19<br>12534 1A<br>12534 1C<br>12534 1D<br>12534 1E             | <ul> <li>Capabilities of scaled microbolometers for uncooled thermal imaging below 10µm pixel pitch (Invited Paper) [12534-39]</li> <li>Status of 8.5µm pitch bolometer developments at Lynred [12534-40]</li> <li>TiOx-based uncooled 8µm FPA development at i3system [12534-42]</li> <li>Multi-spectral uncooled infrared sensors fabricated using encapsulated metal-insulator-metal plasmonic metamaterial absorbers [12534-43]</li> <li>Achieving unprecedented scale and cost effectiveness with microbolometers on glass [12534-44]</li> </ul>   |
| 12534 19<br>12534 1A<br>12534 1C<br>12534 1D<br>12534 1E<br>12534 1F | <ul> <li>Capabilities of scaled microbolometers for uncooled thermal imaging below 10µm pixel pitch (Invited Paper) [12534-39]</li> <li>Status of 8.5µm pitch bolometer developments at Lynred [12534-40]</li> <li>TiOx-based uncooled 8µm FPA development at i3system [12534-42]</li> <li>Multi-spectral uncooled infrared sensors fabricated using encapsulated metal-insulator-metal plasmonic metamaterial absorbers [12534-43]</li> <li>Achieving unprecedented scale and cost effectiveness with microbolometers on glass [12534-44]</li> <li>New higher resolution thermopile arrays for IR imaging and surveillance [12534-69]</li> </ul> |
| 12534 19<br>12534 1A<br>12534 1C<br>12534 1D<br>12534 1E<br>12534 1F | Capabilities of scaled microbolometers for uncooled thermal imaging below 10µm pixel pitch<br>(Invited Paper) [12534-39]<br>Status of 8.5µm pitch bolometer developments at Lynred [12534-40]<br>TiOx-based uncooled 8µm FPA development at i3system [12534-42]<br>Multi-spectral uncooled infrared sensors fabricated using encapsulated metal-insulator-metal<br>plasmonic metamaterial absorbers [12534-43]<br>Achieving unprecedented scale and cost effectiveness with microbolometers on glass<br>[12534-44]<br>New higher resolution thermopile arrays for IR imaging and surveillance [12534-69]  |

#### ALTERNATIVE TECHNOLOGIES AND ROICS II

- 12534 11 QWIP: still the best solution for high-end applications in LWIR [12534-47]
- 12534 1J Development of 1280 x 1024 15-µm pixel pitch ROIC for MWIR and LWIR IIR detectors [12534-48]
- 12534 1K Digital pixel readout integrated circuit for high-dynamic-range infrared imaging [12534-49]
- 12534 1L Graphene infrared photodetectors using type-II InAs/InGaSb superlattices [12534-51]

#### SYSTEM APPLICATIONS

- 12534 10 Vehicle testbed for multispectral imaging and vision-based geolocation [12534-55]
- 12534 1P Vehicle self-localization in GPS-denied zones by multi-band imaging and analysis of prominent scene features [12534-56]

#### **POSTER SESSION**

| 12534 1R | An efficient sun glitter detection and classification algorithm in infrared scenes [12534-57]   |
|----------|---|
| 12534 1S | High sensitivity thermal diode infrared sensors using a thin metal film absorber [12534-58]   |
| 12534 1T | Black phosphorous/graphene van der Waals heterostructure-based plasmonic metasurfaces for advanced infrared photodetectors [12534-59]       |
| 12534 1U | Evaluation and modeling of electrical conductivity of semi-conducting carbon nanotube networks for bolometric infrared detectors [12534-60] |
| 12534 1V | High-performance graphene mid-infrared photogated diode with interfacial layer for infrared   |

- 12534 1V High-performance graphene mid-infrared photogated diode with interfacial layer for infrared image sensor [12534-61]
- 12534 1W Towards a scalable resource-driven pedestrian detection for low-cost IR sensors [12534-62]
- 12534 1X Broadband and high-quantum-efficiency LWIR T2SL nBn detector with guided-mode-resonance structure [12534-64]
- 12534 1Y Wafer-level integration for hybrid chip of infrared detectors [12534-65]
- 12534 12 Investigation of recombination mechanisms in GaAsSb photodiodes using minority carrier lifetime measurements [12534-66]
- 12534 22 Towards high-temporal-resolution global monitoring of atmospheric carbon-dioxide (CO<sub>2</sub>) using a compact spaceborne spatial heterodyne SWIR spectrometer: SHACS [12534-73]

# **Conference Committee**

#### Symposium Chairs

Tien Pham, The MITRE Corporation (United States) Douglas R. Droege, L3Harris Technologies, Inc. (United States)

#### Symposium Co-chairs

**Augustus W. Fountain III**, University of South Carolina (United States) **Teresa L. Pace**, L3Harris Technologies, Inc. (United States)

#### Program Track Chair

Ann Marie Raynal, Sandia National Laboratories (United States)

#### **Conference** Chairs

 Gabor F. Fulop, Maxtech International, Inc. (United States) and Infrared Imaging News (United States)
 David Z. Ting, Jet Propulsion Laboratory (United States)
 Lucy L. Zheng, Institute for Defense Analyses (United States)

### Conference Co-chairs

Masafumi Kimata, Ritsumeikan University (Japan) Michael H. MacDougal, Attollo Engineering, LLC (United States)

## Conference Program Committee

Bjørn F. Andresen, Consultant, Infrared Technologies and Applications (Israel)
Tayfun Akin, Mikro-Tasarim Elektronik San. ve Tic. A.S. (Turkey) and Middle East Technical University (Turkey)
Oguz Altun, ASELSAN A.S. (Turkey)
Sooho Bae, Sungkyunkwan University (Korea, Republic of)
Eric Belhaire, Thales LAS France SAS (France)
Wolfgang A. Cabanski, AIM INFRAROT-MODULE GmbH (Germany)
John T. Caulfield, Cyan Systems, Inc. (United States)
Leonard P. Chen, Raytheon Technologies Corporation (United States)
Eric Costard, IRnova AB (Sweden)
Arnaud Crastes, Teledyne e2v (France)
Michael T. Eismann, Air Force Research Laboratory (United States)
Martin H. Ettenberg, Princeton Infrared Technologies, Inc. (United States) Adam Greenen, Leonardo UK Ltd. (United Kingdom) Michael Groenert, U.S. Army CCDC C5ISR Center Night Vision and Electronic Sensors Directorate (United States) Sarath D. Gunapala, Jet Propulsion Laboratory (United States) Charles M. Hanson, Consultant (United States) Daniel Jardine, L3Harris Technologies, Inc. (United States) Arjun Kar-Roy, Tower Semiconductor Ltd. (United States) Michael W. Kelly, Copious Imaging LLC (United States) Young-Ho Kim, i3system, Inc. (Korea, Republic of) Philip C. Klipstein, SCD SemiConductor Devices (Israel) Kevin C. Liddiard, Electro-optic Sensor Design (Australia) John C. Liobe, Sensors Unlimited, a Collins Aerospace Company (United States) Whitney Mason, Defense Advanced Research Projects Agency (United States) John Lester Miller, Cascade Electro-Optics, LLC (United States) Mario O. Münzberg, HENSOLDT Optronics GmbH (Germany) Minh Nauven, HRL Laboratories, LLC (United States) Peter W. Norton, BAE Systems (United States) Shinpei Ogawa, Mitsubishi Electric Corporation (Japan) Joseph G. Pellegrino, U.S. Army CCDC C5ISR Center Night Vision and Electronic Sensors Directorate (United States) Tony J. Ragucci, Leonardo DRS (United States) Manijeh Razeghi, Northwestern University (United States) Donald A. Reago Jr., U.S. Army CCDC C5ISR Center Night Vision and Electronic Sensors Directorate (United States) Charles J. Reyner, Air Force Research Laboratory (United States) Patrick Robert, Lynred (France) Antoni Rogalski, Wojskowa Akademia Techniczna im. Jaroslawa Dabrowskiego (Poland) Laurent Rubaldo, Lynred (France) Thomas R. Schimert, DRS Network & Imaging Systems, LLC (United States) Stefan P. Svensson, DEVCOM Army Research Laboratory (United States) J. Ralph Teague, Georgia Tech Research Institute (United States) Meimei Tidrow, U.S. Army CCDC C5ISR Center Night Vision and Electronic Sensors Directorate (United States) Christophe Vasse, Thales LAS France SAS (France) Alexander Veprik, Cryo Tech Ltd. (Israel) Mike D. Walters, Teledyne FLIR LLC (United States) Ami Yaacobi, Rafael Advanced Defense Systems Ltd. (Israel)