PROCEEDINGS OF SPIE

Behavior and Mechanics of Multifunctional Materials and Composites 2010

Zoubeida Ounaies Jiangyu Li Editors

8–11 March 2010 San Diego, California, United States

Sponsored by SPIE

Cosponsored by American Society of Mechanical Engineers (United States)

Cooperating Organizations Intelligent Materials Forum (Japan) Jet Propulsion Laboratory (United States) National Science Foundation (United States)

Published by SPIE

Volume 7644

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in Behavior and Mechanics of Multifunctional Materials and Composites 2010, edited by Zoubeida Ounaies, Jiangyu Li, Proceedings of SPIE Vol. 7644 (SPIE, Bellingham, WA, 2010) Article CID Number.

ISSN 0277-786X ISBN 9780819480590

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445 SPIE.org

Copyright © 2010, Society of Photo-Optical Instrumentation Engineers

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/10/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID number.

Contents

хi	Conference Committee
XV	Organic bionics (Plenary Paper) [764202] G. G. Wallace, S. E. Moulton, C. Wang, Univ. of Wollongong (Australia)
SESSION 1	PHASE FIELD MODELING OF FERROELECTRICS
7644 05	An examination of the structure and the gradient terms used in phase field modeling [7644-04] W. Dong, C. S. Lynch, Univ. of California, Los Angeles (United States)
SESSION 2	MODELING OF CONSTITUTIVE BEHAVIOR OF SMART MATERIALS
7644 06	New unifying concepts for modeling smart materials [7644-05] W. S. Oates, Florida State Univ. (United States)
7644 07	Proper orthogonal decomposition with updates for efficient control design in smart material systems [7644-06] S. F. May, R. C. Smith, North Carolina State Univ. (United States)
7644 09	Analysis of poling induced cracking in thick walled cylinders [7644-08] S. Liu, D. Pisani, C. S. Lynch, Univ. of California, Los Angeles (United States)
SESSION 3	PIEZOELECTRIC SINGLE CRYSTALS
7644 OA	Mapping of domain structure in Barium Titanate single crystals by synchrotron x-ray topography [7644-09] P. R. Potnis, J. E. Huber, Univ. of Oxford (United Kingdom); J. P. Sutter, Diamond Light Source Ltd. (United Kingdom); F. Hofmann, B. Abbey, A. M. Korsunsky, Univ. of Oxford (United Kingdom)
7644 OB	A variational model of ferroelectric rank-2 laminate domain structures [7644-10] N. T. Tsou, J. E. Huber, Univ. of Oxford (United Kingdom)
7644 0C	Enhanced piezoelectric properties of lead zirconate titanate (PZT) sol-gel derived ceramics using single crystal PZT cubes [7644-11] Y. Lin, C. Andrews, H. A. Sodano, Arizona State Univ. (United States)
7644 0D	Triple-scale analysis and fabrication of new biocompatible MgSiO ₃ piezoelectric thin films [7644-12] H. Hwang, Doshisha Univ. (Japan); Y. Uetsuji, Osaka Institute of Technology (Japan); T. Katayama, E. Nakamachi, Doshisha Univ. (Japan)

SESSION 4	SHAPE MEMORY MATERIALS I
7644 OF	Thermomechanical characterization of environmentally conditioned shape memory polymer using nanoindentation [7644-15] J. T. Fulcher, Y. C. Lu, Univ. of Kentucky (United States); G. P. Tandon, Air Force Research Lab. (United States) and Univ. of Dayton Research Institute (United States); D. C. Foster, Air Force Research Lab. (United States)
7644 0G	JetSum: SMA actuator based undersea unmanned vehicle inspired by jellyfish
	bio-mechanics [7644-96] S. Bressers, S. Chung, A. Villanueva, C. Smith, S. Priya, Virginia Polytechnic Institute and State Univ. (United States)
7644 OH	Development of a McKibben artificial muscle using a shape-memory polymer [7644-17] K. Takashima, RIKEN (Japan); J. Rossiter, Univ. of Bristol (United Kingdom) and RIKEN (Japan); T. Mukai, RIKEN (Japan)
SESSION 5	SHAPE MEMORY MATERIALS II: SHAPE MEMORY ALLOYS
7644 OI	Phase transformations and shape memory effects in finite length nanostructures [7644-18] R. V. N. Melnik, Wilfrid Laurier Univ. (Canada); L. X. Wang, Hangzhou Dianzi Univ. (China); O. I. Tsviliuk, JSC RB (Ukraine)
7644 OK	Passive damping of composites with embedded shape memory alloy wires [7644-20] R. de Oliveira, E. Bigi, A. Sigg, V. Michaud, JA. E. Månson, Ecole Polytechnique Fédérale de Lausanne (Switzerland)
7644 0M	3D finite element analysis of indentation recovery due to the shape memory effect [7644-22] J. M. Nolan, D. J. Hartl, D. C. Lagoudas, Texas A&M Univ. (United States); D. S. Grummon, Michigan State Univ. (United States)
7644 ON	Processing and characterization of composite shape memory alloy (SMA) thin film structures for microactuators [7644-23] S. K. Mandepudi, Acree Technologies Inc. (United States); H. D. Ackler, Skyline Solar, Inc. (United States)
7644 0Q	Phase transformation and creep behavior in Ti ₅₀ Pd ₃₀ Ni ₂₀ high temperature shape memory alloy in compression [7644-26] P. K. Kumar, U. Desai, J. Monroe, D. C. Lagoudas, I. Karaman, Texas A&M Univ. (United States); R. Noebe, G. Bigelow, NASA Glenn Research Ctr. (United States)
SESSION 6	MAGNETO-ACTIVE MATERIALS I: MAGNETOSTRICTION
7644 OR	One and three dimensional models for the dynamical sensing response of Galfenol with applications to energy harvesting [7644-27] P. Weetman, G. Akhras, Royal Military College of Canada (Canada)

7644 OT	Influence of a non-uniform stress on the electromechanical transduction coefficient of a magnetostrictive unimorph [7644-97] E. Starke, U. Marschner, G. Pfeifer, WJ. Fischer, Technische Univ. Dresden (Germany); A. B. Flatau, Univ. of Maryland, College Park (United States)				
7644 OU	Power generating by high pulse mechanical stimulation of magnetic coupled NdFeB and Terfenol-D [7644-29] J. Kaleta, D. Lewandowski, P. Wiewiórski, R. Mech, M. Liberda, Wroclaw Univ. of Technology (Poland)				
7644 OV	Image analysis of the microstructure of pseudo-1-3 magnetostrictive composites [7644-30] X. Dong, M. Qi, Dalian Univ. of Technology (China); X. Guan, Harbin Institute of Technology (China); J. Ou, Harbin Institute of Technology (China) and Dalian Univ. of Technology (China)				
7644 OX	Magnetostrictive properties of Tb _{0.24} Dy _{0.76} Fe _{2-x} Ni _x thin films for wireless micro actuators and application to array type micro transporter [7644-33] HS. Lee, B. Kim, C. Cho, Inha Univ. (Korea, Republic of)				
SESSION 7	MAGNETO-ACTIVE MATERIALS II: MAGNETIC SHAPE MEMORY EFFECT				
7644 OY	Stability of the magnetomechanical problem in magnetic shape memory alloys [7644-34] G. Chatzigeorgiou, K. Haldar, D. C. Lagoudas, Texas A&M Univ. (United States)				
7644 10	Constitutive modeling of magneto-mechanical coupling response of magnetic field-induced phase transformations in NiMnCoIn magnetic shape memory alloys [7644-36] K. Haldar, D. C. Lagoudas, B. Basaran, I. Karaman, Texas A&M Univ. (United States)				
SESSION 8	MAGNETO-ACTIVE MATERIALS III: MAGNETOELECTRIC EFFECT				
7644 13	Static and dynamic characterization of a magnetoelectric cantilever cutting tool [7644-39] J. Clarke, V. B. Sundaresan, Virginia Commonwealth Univ. (United States)				
7644 14	Thickness ratio effects on quasistatic actuation and sensing behavior of laminate magnetoelectric cantilevers [7644-40] Y. Wang, J. Atulasimha, J. Clarke, V. B. Sundaresan, Virginia Commonwealth Univ. (United States)				
7644 15	Magnetoelectric laminate composites with prestress consideration [7644-41] T. Wu, M. Emmons, A. Bur, J. Sorge, G. P. Carman, Univ. of California, Los Angeles (United States)				
SESSION 9	ACTIVE POLYMERS I				
7644 17	Actuation and ion transportation of polyelectrolyte gels [7644-43] W. Hong, X. Wang, Iowa State Univ. (United States)				

7644 18	Simulation of the effect of different parameters on the swelling characteristics of a pH-sensitive hydrogel [7644-44] K. J. Suthar, D. C. Mancini, Argonne National Lab. (United States); M. K. Ghantasala, Western Michigan Univ. (United States)
7644 19	Fabrication and characterization of ionic polymer gel actuators [7644-45] C. Jo, E. In, H. E. Naguib, Univ. of Toronto (Canada)
7644 1A	Piezoelectric polymer foams: transducer mechanism and preparation as well as touch-sensor and ultrasonic-transducer properties [7644-46] M. Wegener, Fraunhofer IAP (Germany) and Univ. of Potsdam (Germany)
7644 1B	Characterization of healable polymers [7644-47] C. Nielsen, O. Weizman, S. Nemat-Nasser, Univ. of California, San Diego (United States)
SESSION 10	ACTIVE NANOCOMPOSITES
7644 1D	Non-linear actuation response of polyvinylidene fluoride (PVDF) based nanocomposites [7644-49] S. Deshmukh, Z. Ounaies, Texas A&M Univ. (United States)
7644 1E	Microwave absorbing properties of structural nanocomposites with surface treated Co ferrite nanoparticles as filler [7644-50] A. Jänis, Swedish Defence Research Agency (Sweden); R. T. Olsson, Royal Institute of Technology (Sweden); S. J. Savage, Swedish Defence Research Agency (Sweden); U. Klement, Chalmers Univ. of Technology (Sweden)
7644 1F	Nano-clay/poly(vinylidene fluoride) composite films as sensor and actuator element [7644-51] G. Murasawa, D. Wakabayashi, E. Yamada, A. Nishioka, K. Miyata, T. Koda, Yamagata Univ. (Japan)
7644 1G	Investigations of the key mechanism of carbon-nanotube actuators and their dependencies [7644-56] S. Geier, J. Riemenschneider, T. Mahrholz, P. Wierach, M. Sinapius, German Aerospace Ctr. (Germany)
7644 1H	Study of carbon nanotubes/short carbon fiber nanocomposites for lightning strike protection [7644-53] C. Wu, H. Lu, Y. Liu, J. Leng, Harbin Institute of Technology (China)
7644 11	Measuring SWNT depth in electroactive polymer nanocomposite films using electric force microscopy [7644-54] A. T. Sellinger, Air Force Research Lab. (United States); S. Deshmukh, Z. Ounaies, Texas A&M Univ. (United States); S. N. Kim, R. A. Vaig, Air Force Research Lab. (United States)

SESSION 11	ACTIVE COMPOSITES I			
7644 1J	Inverse model construction for control implementation of macro fiber composite actuators operating in hysteretic regimes [7644-55] M. Stuebner, R. C. Smith, North Carolina State Univ. (United States)			
7644 1K	Micromechanical analysis of damping performance of piezoelectric structural fiber composites [7644-57] Q. Dai, K. Ng, Michigan Technological Univ. (United States)			
7644 1L	Magnetomechanical properties of magnetostrictive composites with high volume of fraction Terfenol-D powder [7644-58] J. Kaleta, D. Lewandowski, R. Mech, Wroclaw Univ. of Technology (Poland)			
SESSION 12	ACTIVE COMPOSITES II			
7644 1N	Mechanically-tunable composite filter at low frequencies [7644-59] S. Wheeland, A. V. Amirkhizi, S. Nemat-Nasser, Univ. of California, San Diego (United States)			
SESSION 13	ACTIVE POLYMERS II			
7644 1S	A voltage creep effect on actuation behavior of cellulose electro-active paper (EAPap) [7644-64] GY. Yun, Inha Univ. (Korea, Republic of); JH. Kim, Chosun National Univ. (Korea, Republic of); J. Kim, Inha Univ. (Korea, Republic of); C. Yang, Andong National Univ. (Korea, Republic of)			
7644 IT	Modeling the transduction of IPMC in 3D configurations [7644-65] D. Pugal, Univ. of Nevada, Reno (United States) and Univ. of Tartu (Estonia); K. J. Kim, Univ. of Nevada, Reno (United States); A. Aabloo, Univ. of Tartu (Estonia)			
7644 1U	Finite element modeling of the electromechanical coupling in ionic polymer transduce [7644-66] B. Akle, W. Habchi, Lebanese American Univ. (Lebanon); T. Wallmersperger, Univ. Stuttg (Germany); D. Leo, Virginia Polytechnic Institute and State Univ. (United States)			
SESSION 14	MECHANICS OF COMPOSITES			
7644 1W	The effect of scaling on the performance of elastomer composite actuators [7644-68] L. D. Peel, Texas A&M Univ. (United States); J. Baur, D. Phillips, A. McClung, Air Force Research Lab. (United States)			
7644 1X	Effect of particle size and volume fraction on tensile properties of fly ash/polyurea composites [7644-69] J. Qiao, Harbin Institute of Technology (China) and Univ. of California, San Diego (United States); K. Schaaf, A. V. Amirkhizi, S. Nemat-Nasser, Univ. of California, San Diego (United States)			

/644 IY	A. Samiee, J. Isaacs, S. Nemat-Nasser, Univ. of California, San Diego (United States)
7644 1Z	Three-dimensional piezoelasticity solution for piezolaminated angle-ply cylindrical shells featuring imperfect interfacial bonding [7644-99] S. Kapuria, Stanford Univ. (United States); A. Kumar, Indian Institute of Technology Delhi (India)
7644 21	Tensile mechanical properties of metal honeycomb sandwich structure with interface connection defects [7644-72] X. He, X. Kong, Harbin Institute of Technology (China)
	POSTER SESSION
7644 22	Shape-memory polymer composite filled with carbon nanotube [7644-16] X. Wu, Harbin Institute of Technology (China); H. Zheng, Technical Physics Institute of Heilongjiang (China); Y. Liu, J. Leng, Harbin Institute of Technology (China)
7644 23	EMI shielding performance study of tri-layer nano stealth composites [7644-52] D. Song, Y. Liu, J. Leng, Harbin Institute of Technology (China)
7644 24	Nonlinear bending response of Terfenol-D/PZT laminated devices under electromagnetic fields [7644-73] K. Mori, F. Narita, Y. Shindo, Tohoku Univ. (Japan)
7644 26	Modeling and simulation of corrosion mechanism for glass fiber reinforced plastic in sea water [7644-75] J. Yin, D. Li, Harbin Institute of Technology (China); Z. Lin, Harbin FRP Institute (China); D. Zhang, H. Lu, Harbin Institute of Technology (China)
7644 27	Study on thermo-mechanical behaviors of shape memory alloy torsion tube [7644-76] B. Zhou, Harbin Engineering Univ. (China); J. Yin, Harbin Institute of Technology (China); H. Qi, Harbin Engineering Univ. (China); LM. Zhou, The Hong Kong Polytechnic Univ. (Hong Kong, China)
7644 28	Simulation models for design and production of active structural parts with deformed piezoceramic-metal-compounds [7644-77] WG. Drossel, S. Hensel, B. Kranz, Fraunhofer Institute for Machine Tools and Forming Technology (Germany)
7644 29	Characterization of a Pt-core PZT fiber/Al matrix composite [7644-78] M. Richeson, U. Erturun, R. Waxman, K. Mossi, Virginia Commonwealth Univ. (United States); J. Kunikata, H. Asanuma, Chiba Univ. (Japan)
7644 2A	Bio-inspired unmanned undersea vehicle [7644-79] C. F. Smith, S. Priya, Virginia Polytechnic Institute and State Univ. (United States)

7644 2C Design of RF MEMS switches without pull-in instability [7644-84]

W. C. Proctor, North Carolina State Univ. (United States); G. P. Richards, Kent State Univ. (United States); C. Shen, The Univ. of Iowa (United States); T. Skorczewski, Univ. of California, Davis (United States); M. Wang, Northern Illinois Univ. (United States); J. Zhang, The Pennsylvania State Univ. (United States); P. Zhong, The Univ. of Tennessee, Knoxville (United States); J. E. Massad, Sandia National Labs. (United States); R. Smith, North Carolina State Univ. (United States)

7644 2H Mechanical behavior of a bi-stable negative-rate bias spring system [7644-95]

M. Hodgins, S. Seelecke, North Carolina State Univ. (United States)

Author Index

Conference Committee

Symposium Chairs

Donald J. Leo, Virginia Polytechnic Institute and State University (United States)

Kara J. Peters, North Carolina State University (United States)

Symposium Cochairs

 Norbert G. Meyendorf, Fraunhofer-Institut für Zerstörungsfreie Prüfverfahren (Germany) and Univ. of Dayton (United States)
 Norman M. Wereley, University of Maryland, College Park (United States)

Conference Chair

Zoubeida Ounaies, Texas A&M University (United States)

Conference Cochair

Jiangyu Li, University of Washington (United States)

Program Committee

Abhijit Bhattacharyya, University of Arkansas at Little Rock (United States)

Gregory P. Carman, University of California, Los Angeles (United States)

Pavel M. Chaplya, Sandia National Laboratories (United States)

Constantin Ciocanel, Northern Arizona University (United States)

Marcelo J. Dapino, The Ohio State University (United States)

Christopher P. Henry, HRL Laboratories, LLC (United States)

Daniel J. Inman, Virginia Polytechnic Institute and State University (United States)

Marc Kamlah, Forschungszentrum Karlsruhe GmbH (Germany)

Ibrahim Karaman, Texas A&M University (United States)

Dimitris C. Lagoudas, Texas A&M University (United States)

Chad M. Landis, The University of Texas at Austin (United States)

Kam K. Leang, Virginia Commonwealth University (United States)

Donald J. Leo, Virginia Polytechnic Institute and State University (United States)

Sergio Luis dos Santos e Lucato, Teledyne Scientific Company (United States)

Christopher S. Lynch, University of California, Los Angeles (United States)

Karla M. Mossi, Virginia Commonwealth University (United States)Robert C. O'Handley, Massachusetts Institute of Technology (United States)

Etienne Patoor, Ecole Nationale Supérieure d'Arts et Métiers (France)
Stefan S. Seelecke, North Carolina State University (United States)
Ralph C. Smith, North Carolina State University (United States)
Jonghwan Suhr, University of Nevada, Reno (United States)

Session Chairs

- Phase Field Modeling of Ferroelectrics
 Marc Kamlah, Forschungszentrum Karlsruhe GmbH (Germany)
 Chad M. Landis, The University of Texas at Austin (United States)
- 2 Modeling of Constitutive Behavior of Smart Materials William S. Oates, The Florida State University (United States) Ralph C. Smith, North Carolina State University (United States)
- Piezoelectric Single CrystalsJiangyu Li, University of Washington (United States)
- Shape Memory Materials I
 Kam K. Leang, Virginia Commonwealth University (United States)
 Darren J. Hartl, Texas A&M University (United States)
- 5 Shape Memory Materials II: Shape Memory Alloys Dimitris C. Lagoudas, Texas A&M University (United States) Chihou Lei, University of Washington (United States)
- Magneto-Active Materials I: Magnetostriction
 LeAnn E. Faidley, Iowa State University (United States)
 George Akhras, Royal Military College of Canada (Canada)
- 7 Magneto-Active Materials II: Magnetic Shape Memory Effect **Haluk E. Karaca**, University of Kentucky (United States)
- 8 Magneto-Active Materials III: Magnetoelectric Effect Jayasimha Atulasimha, Virginia Commonwealth University (United States)
 - Marcelo J. Dapino, The Ohio State University (United States)
- 9 Active Polymers I
 - **Donald J. Leo**, Virginia Polytechnic Institute and State University (United States)
 - **Karla M. Mossi**, Virginia Commonwealth University (United States)

- 10 Active NanocompositesJaehwan Kim, Inha University (Korea, Republic of)
- 11 Active Composites I

 Poorna Mane, Virginia Commonwealth University (United States)

 Sujay J. Deshmukh, Texas A&M University (United States)
- Active Composites II
 Christopher S. Lynch, University of California, Los Angeles (United States)
- 13 Active Polymers IIStefan S. Seelecke, North Carolina State University (United States)
- Mechanics of CompositesHani E. Naguib, University of Toronto (Canada)