

Bibliography

- [1] T. Abbott, F. Abdalla, S. Allam, et al., “The dark energy survey data release 1”, *arXiv:1801.03181v1* [astro-ph.IM] 9 Jan (2018).
- [2] M. Ackermann, J. McGraw, and P. Zimmer, “Are curved focal planes necessary for wide-field survey telescopes?”, *Proc. SPIE* **6267**, 626740-1-10 (2006).
- [3] M. Ackermann, J. McGraw, and P. Zimmer, “An overview of wide-field-of-view optical designs for survey telescopes”, *Proc. AMOS Conf.* **E41**, 1–19 (2010).
- [4] C. Akerlof, R. Kehoe, T. McKay, et al., “The ROTSE-III robotic telescope system”, *PASP* **115**, 132–140 (2003).
- [5] R. Allsman, W. Althouse, S. Aronson, et al., “The Large Synoptic Survey Telescope (LSST)”, Proposal for LSST (2006).
- [6] M. Amon, U.S. Patent 3,711,184 (1973).
- [7] M. Amon, S. Rosin, and B. Jackson, “Large objective for night observation”, *Appl. Opt.* **10**, 490–493 (1971).
- [8] J. Angel, N. Woolf, and H. Epps, “A 1.8-m three mirror telescope proposal for survey with CCDs”, *Proc. SPIE* **332**, 134–142 (1982).
- [9] J. Angel, M. Lesser, R. Sarlot, and T. Dunham, “Design for an 8-m telescope with a 3 degree field at $f/1.25$: the Dark Matter Telescope”, *ASP Conf. Ser.* **195**, 81–93 (2000).
- [10] J. Baker, “A family of flat-field cameras, equivalent in performance to the Schmidt camera”, *Proc. Amer. Phil. Soc.* **82**(3), 339–349 (1940).
- [11] J. Baker, U.S. Patent 2,458,132 (1945).
- [12] J. Baker, “The catadioptric refractor”, *Astron. J.* **59**, 74–83 (1954).
- [13] J. Baker, U.S. Patent 3,022,708 (1962).
- [14] J. Baker, “On improving the effectiveness of large telescopes”, *IEEE Trans. Aerosp. Electron. Syst.* **5**, 261–272 (1969).
- [15] J. Barbe, G. Cerutti-Maori, and J.-P. Roselot, “Large field-of-view telescope for deep surveys”, *Proc. SPIE* **2871**, 150–158 (1997).
- [16] M. Bass (ed.), *Handbook of Optics*, **II**, McGraw-Hill, New York (1995).
- [17] E. Bellm, S. Kulkarni, M. Graham, et al., “The Zwicky Transient Facility: system overview, performance, and first results”, *arXiv:1902.01932v1* [astro-ph.IM], 5 Feb 2019.

- [18] T. Belorossova, D. Maksutov, N. Merman, and M. Sosnina, “700-mm meniscus astrometric telescope” (in Russian), *Trans. of the 15th Astrometric Conf.*, Leningrad, 215–219 (1963).
- [19] N. Benitez, E. Gaztañaga, R. Miquel, et al., “Measuring baryon acoustic oscillations along the line of sight with photometric redshifts: the PAU survey”, *Astroph. J.* **691**, 241–280 (2009).
- [20] H. Bennett, US Patent 2,571,657 (1945).
- [21] T. Blake, E. Pearce, J. Gregory, et al., “Utilization of a curved focal surface array in a 3.5-m wide field of view telescope”, *Proc. AMOS Conf.*, 256–265 (2013).
- [22] M. Born and E. Wolf, *Principles of Optics*, 7th Ed., Cambridge Univ. Press (1999).
- [23] A. Bouwers, Netherlands Patent 102,016 (1941).
- [24] A. Bouwers, *Achievements in Optics*, Elsevier, Amsterdam (1946).
- [25] I. Bowen, “Astronomical Optics”, in *Annual Rev. Astron. and Astrophys.* **5**, 45–66 (1967).
- [26] R. Buchroeder, “Application of aspherics for weight reduction in selected catadioptric lenses”, *Opt. Sci. Center, Univ. of Arizona, Techn. Rep.* **69** 1–13 (1971).
- [27] A. Buffington, “Very-wide-angle optical systems suitable for spaceborne photometric measurements”, *Appl. Opt.*, **37**, 4284–4293 (1998).
- [28] C. Burch, “On the optical see-saw diagram”, *Monthly Notices of RAS* **102**, 159–165 (1942).
- [29] C. Burrows, “Hubble Space Telescope. Optical Telescope Assembly Handbook”, Vers. 1, STSI (1990).
- [30] W. Busch, R. Ceragioli, and W. Stephani, “A little-known 3-lens catadioptric camera by Bernhard Schmidt”, *Journ. of Astron. History and Heritage*, **16**(2), 107–126 (2013).
- [31] L. Canzek, U.S. Patent 4,547,045 (1945).
- [32] B. Carter, M. Ashley, Y-S. Sun, and J. Storey, “Redesigning a Baker-Nunn camera for CCD imaging”, *Proc. ASA* **10**(1), 74–76 (1992).
- [33] A. Cenarro, M. Moles, D. Cristóbal-Hornillos, et al., “The Javalambre Astro-physical Observatory project”, *Proc. SPIE* **7738**, 0V–1 (2010).
- [34] Z. Challita, T. Agycs, E. Hugot, et al., “Design and development of a freeform active mirror for an astronomy application”, *Opt. Eng.* **53**(3), 031311 (2014).
- [35] K. Chambers, E. Magnier, N. Metcalfe, et al., “The Pan-STARRS1 Surveys”, *arXiv:1612.05560* [astro-ph.IM] (2016).
- [36] H. Chrétien, “Le telescope de Newton et le telescope aplanétique”, *Rev. d’Opt. Theor. et Instrum.* **1**, 13–22, 49–64 (1922).
- [37] A. Couder, *C.R. Acad. Sci. Paris*, **183** (II), 1276 (1926).
- [38] X. Cui, D. Su, and Y. Wang, “Progress in the LAMOST optical system”, *Proc. SPIE* **4003**, 347–354 (2000).

- [39] J. Daley, *Amateur Construction of Schupmann Medial Telescopes* (1984).
- [40] A. Danjon and A. Couder, *Lunettes et Telescopes*, Edition De La Revue D'optique Théorique et Instrumentale (1935). Re-issued: Blanchard, Paris (1983).
- [41] G. Dimitroff and J. Baker, *Telescopes and Accessories*, Blakiston, Philadelphia (1945).
- [42] S. Djorgovski, A. Mahabal, A. Drake, et al., “Sky Surveys”, in *Astronomical Techniques, Software, and Data*, H. Bond, Ed., Springer (2012).
- [43] P. Doel, T. Abbott, M. Antonik, et al., “Design and status of the optical corrector for the DES survey instrument”, *Proc. SPIE* **7014**, 70141V (2008).
- [44] A. Drake, S. Djorgovski, A. Mahabal, et al., “First results from the Catalina Real-Time Transient Survey”, *Astroph. J.*, **696**, 870–884 (2009).
- [45] J. Dyson, British patent 586,851 (1944).
- [46] H. Epps and D. Fabricant, “Field correctors for wide-field CCD imaging with Ritchey-Chrétien telescopes”, *Astron. J.*, **113**, 439–445 (1997).
- [47] L. Epstein, “All-reflecting Schmidt camera”, *PASP*, **79**, 132–135 (1967).
- [48] L. Epstein, “Improved geometry for the all reflecting Schmidt telescope”, *Appl. Optics*, **12**, 926 (1973).
- [49] E. Etedgui-Atad and S. Worswick, “Optical design concept of the 4-m visible and infrared survey telescope for astronomy”, *Proc. SPIE*, **4842**, 95–105 (2003).
- [50] B. Flaugher, H. Diehl, K. Honscheid, et al., “The Dark Energy Camera”. *Astron. J.*, **150**, 150–193 (2015).
- [51] J. Flugge, “Neue spiegelobjektive”, *Z. für Instrumentenkunde*, **61**, 175 (1941).
- [52] O. Fors, F. Montojo, J. Nunez, et al., “Status of telescope Fabra ROA at Montsec: optical observations for space surveillance and tracking”, *arXiv:1109.5903v1 [astro-ph.EP]*1–6 (2011).
- [53] D. Gabor, British Patent 544,694 (1941).
- [54] J. Gardner, J. Mather, M. Clampin, et al., “The James Webb Space Telescope”, *Space Science Reviews* **123**, 485–606 (2006).
- [55] J. Geary, *Introduction to Lens Design With Practical ZEMAX Examples*, Willmann-Bell, Richmond (2002).
- [56] J. Gonzalez, “SPM-Twin telescopes: project overview”, *RevMexAA (SC)*, **28**, 39–48 (2007).
- [57] J. Gonzalez and V. Orlov, “Relevant optical issues of the SPM-Twin telescopes”, *RevMexAA (SC)* **28**, 60–66 (2007).
- [58] T. Grayson, “Curved focal plane wide-field-of-view telescope design”, *Proc. SPIE* **4849**, 269–274 (2002).
- [59] W. Gressler, “LSST optical design summary”, 5/1 (2009).
- [60] W. Hamilton, English Patent 3781 (1814).

- [61] C. Harmer, C. Claver, and G. Jakoby, “The optical design of the WIYN one degree imager (ODI)”, *Proc. SPIE* **4836**, 260–270 (2002).
- [62] C. Harmer and C. Wynne, “A simple wide-field Cassegrain telescope”, *Monthly Notices of RAS*, **177**, 25P–30P (1976).
- [63] D. Hawkins and E. Linfoot, “An improved type of Schmidt camera”, *Monthly Notices of RAS* **105**, 334–344 (1945).
- [64] E. Hecht, *Optics*, 3rd Ed., Addison-Wesley, Reading (1998).
- [65] K. Henize, “The Baker-Nunn satellite-tracking camera”, *Sky and Telescope*, 108–111, Jan. (1957).
- [66] M. Herzberger, “Optics from Euclid to Huygens”, *Appl. Optics* **5**, 1383–1393 (1966).
- [67] J. Hill and P. Salinari, “Large Binocular Telescope project”, *Proc. SPIE* **3352**, 23–33 (1998).
- [68] K. Hodapp, N. Kaiser, H. Aussel, et al., “Design of the Pan-STARRS telescopes”, *Astron. Nachr.* **325**, 636–642 (2004).
- [69] J. Houghton, British Patent 546,307 (1942).
- [70] J. Houghton, U.S. Patent 2,350,112 (1944).
- [71] S. Howell, *Handbook of CCD Astronomy*, Cambridge Univ. Press (2000).
- [72] E. Hugot, Xin Wang, D. Valls-Gabaud, et al., “A freeform-based, fast, wide-field, and distortion-free camera for ultralow surface brightness surveys”, *Proc. SPIE* **9143**, 91434X (2014).
- [73] Z. Ivezić, S. Kahn, J. Tyson, et al., “LSST: from science drivers to reference design and anticipated data products”, *arXiv:0805.2366* (2008).
- [74] O. Iwert and B. Delabre, “The challenge of highly curved monolithic imaging detectors”, *Proc. SPIE* **7742**, 27–35 (2010).
- [75] O. Iwert, D. Ouelette, M. Lesser, and B. Delabre, “First results from a novel curving process for large area scientific imagers”, *Proc. SPIE* **8453**, 1–15 (2012).
- [76] W. Jeas and R. Anctil, “The Ground-based Electro-Optical Deep Space Surveillance /GEODSS/ system”, *Military Electronics/Countermeasures*, **7**, 47–51 (1981).
- [77] D. Jones, “Wide-field prime focus corrector for the Anglo-Australian telescope”, *Appl. Optics* **33**, 7362–7366 (1994).
- [78] N. Kaiser, H. Aussel, B. Burke, et al., “Pan-STARRS: a large synoptic survey telescope array”, *Proc. SPIE* **4836**, 154–164 (2002).
- [79] S. Kent, R. Bernstein, T. Abbott, et al., “Preliminary optical design for a 2.2 degree diameter prime focus corrector for the Blanco 4 meter telescope”, *Proc. SPIE*, **6269**, 37–47 (2006).
- [80] S.-L. Kim, B.-G. Park, C.-U. Lee, et al., “Technical specifications of the KMT-Net observation system”, *Proc. SPIE*, **7733-3F** (2010).
- [81] S.-L. Kim, B.-G. Park, C.-U. Lee, et al., “Wide-field telescope design for the KMTNet project”, *Proc. SPIE*, **8151-1B** (2011).
- [82] H. King, *The History of the Telescope*, Griffin, London (1955).

- [83] H. Köhler, “Die entwicklung der aplanatischen spiegelsysteme”, *Astron. Nachr.* **278**, 1–23 (1948).
- [84] M. Konacki, P. Lejba, P. Sybilski, et al., “The Solaris-Panoptes global network of robotic telescopes and the Borowiec Satellite Laser Ranging System for SST: a progress report”, *Proc. AMOS Conf.* (2017).
- [85] Y. Komiyama, H. Aihara, H. Fujimori, et al., “Hyper Supreme-Cam: camera design”, *Proc. SPIE* **7735**, 77353F-1-12 (2010).
- [86] D. Korsch, “Closed form solution for three-mirror telescopes, corrected for spherical aberration, coma, astigmatism, and field curvature”, *Appl. Optics* **11**, 2986–2987 (1972).
- [87] D. Korsch, “Reflective Schmidt corrector”, *Appl. Optics* **13**, 2005–2006 (1974).
- [88] D. Korsch, “Anastigmatic three-mirror telescope”, *Appl. Optics* **16**, 2074–2077 (1977).
- [89] D. Korsch, “Design and optimization technique for three-mirror telescopes”, *Appl. Optics* **19**, 3640–3645 (1980).
- [90] D. Korsch, *Reflective Optics*, Academic Press, San Diego (1991).
- [91] H. Kramer, *Observation of the Earth and its Environment: Survey of Missions and Sensors*, 4th ed., Springer (2002).
- [92] M. Laikin, *Lens Design*, Dekker, New York (1995).
- [93] M. Lampton, C. Akerlof, G. Aldering, et al., “SNAP telescope”, *Proc. SPIE*, **4849**, 215–226 (2002).
- [94] C. Lanczos, *Applied Analysis*, Dover, New York (1988).
- [95] B. Law, J. Africano, K. Hamada, et al., “Phoenix telescope at AMOS: return of the Baker-Nunn camera”, *Proc. SPIE* **4836**, 119–128 (2002).
- [96] N. Law, S. Kulkarni, R. Dekany, et al., “The Palomar Transient Factory: system overview, performance, and first results”, *PASP*, **121**, 1395–1408 (2009).
- [97] N. Law, S. Sivanandam, R. Carlberg, et al., “New transiting planet surveys in the high Canadian Arctic”, *AAS Meeting 219*, id.125.04 (2012).
- [98] N. Law, O. Fors, J. Ratzloff, et al., “Evryscope science: exploring the potential of all-sky gigapixel-scale telescopes”, *arXiv:1501.03162v1* 13 Jan (2015).
- [99] J.-U. Lee and S.-M. Yu, “Analytic design procedure of three-mirror telescope corrected for spherical aberration, coma, astigmatism, and Petzval field curvature”, *J. of the Opt. Soc. of Korea*, **13**, 184–192 (2009).
- [100] G. Lemaitre, “Reflective Schmidt anastigmat telescopes and pseudo-flat made by elasticity”, *J. Opt. Soc. Am.* **66**, 1334–1340 (1976).
- [101] G. Lemaitre, *Astronomical Optics and Elasticity Theory. Active Optics Methods*, Springer (2009).
- [102] E. Linfoot, “On some optical systems employing aspherical surfaces”, *Monthly Notices of RAS* **103**, 210–221 (1943).

- [103] E. Linfoot, “The Schmidt-Cassegrain systems and their application to astronomical photography”, *Monthly Notices of RAS* **104**, 48–64 (1944).
- [104] E. Linfoot, “On the optics of the Schmidt Camera”, *Monthly Notices of RAS* **109**, 279–297 (1949).
- [105] E. Linfoot, *Recent Advances in Optics*, Oxford (1955).
- [106] D. Lynden-Bell, “Exact optics: a unification of optical telescope design”, *Monthly Notices of RAS* **334**, 787–796 (2002).
- [107] D. Lynden-Bell and R. Willstrop, “Exact optics – IV. Small ‘trumpet’ correctors for large spheres”, *Monthly Notices of RAS* **351**, 317–323 (2004).
- [108] M. MacFarlane and E. Dunham, “Simplifying the prime focus corrector of the Discovery Channel Telescope”, *Proc. SPIE* **6269**, 29–36 (2006).
- [109] D. Maksutov, “Anaberration reflecting surfaces and systems, and new ways to test them”, *Trans. of the State Opt. Inst. (GOI)*, **86**, 1–119 (1932).
- [110] D. Maksutov, USSR Patent No. 65007, 42h, 10₀₁ (1941).
- [111] D. Maksutov, “New catadioptric systems”, *Trans. USSR Academy* **37**, No. **4**, 147 (1942).
- [112] D. Maksutov, “New catadioptric meniscus systems”, *J. Opt. Soc. Am.* **34**, 270–284 (1944).
- [113] D. Maksutov, *Astronomical Optics* (in Russian), Gostechizdat (1946).
- [114] D. Mancini, G. Sedmak, M. Brescia, et al., “VST project: technical overview”, *Proc. SPIE* **4004**, 79–90 (2000).
- [115] P. Martini, S. Bailey, R. Besuner, et al., “Overview of the Dark Energy Spectroscopic instrument”, *Proc. SPIE* **10702**, 1–11 (2018).
- [116] T. Matsuda, US Patent 2015/0070496 A1 (2015).
- [117] J. Maxwell, *Catadioptric Imaging Systems*, American Elsevier, New York (1972).
- [118] M. Mersenne, *L’Harmonie Universelle: de la nature des sons*, Paris (1636).
- [119] N. Mikhel’son, *Optical Telescopes. Theory and Framework* (in Russian), Moscow, Nauka (1976).
- [120] N. Mikhel’son, “Three-mirror telescope anastigmats”, *Optica Acta* **29**, 979–983 (1980).
- [121] T. Miller, R. Besuner, M. Levi, et al., “Fabrication of the DESI corrector lenses”, *Proc. SPIE* **10706**, id. 107060X 9 pp. (2018).
- [122] S. Miyazaki, Yu. Komiyama, S. Kawanomoto, et al., *Publ. Astron. Soc. Japan* **70** (SP1), 1–26 (2018).
- [123] S. Mondal, K. Gupta, S. Lata, et al., “Development of ARIES Baker-Nunn camera to a wide-field imaging telescope with CCD”, *arXiv:0905.0361v1* 4 May (2009).

- [124] A. Moore, M. Kasliwal, C. Gelino, et al., “Unveiling the dynamic infrared sky with Gattini-IR”, *Proc. SPIE* **9906**, id. 99062C 12 pp (2016).
- [125] J. Morgan and W. Burgett, “System/Subsystem specification for the Pan-STARRS PS4 telescopes”, *PSDC-350-002* (2009).
- [126] P. Muursepp and Y. Weismann, *Bernhard Schmidt* (in Russian), Leningrad, Nauka (1984).
- [127] E. O’Neill, *Introduction to Statistical Optics*, Addison-Wesley (1963).
- [128] D. Osterbrock, *Getting the picture: wide-field astronomical photography from Barnard to the achromatic Schmidt, 1888-1992*, *Journ. for the History of Astronomy*, **XXV**, 1–14 (1994).
- [129] R. Owen, “Easily fabricated wide angle telescope”, *Proc. SPIE* **1354430**–433 (1990).
- [130] M. Paul, “Systemes correcteurs pour reflecteurs astronomiques”, *Rev. Opt. Theor. Instrum.* **14**, 169–202 (1935).
- [131] K. Penning, German Pat. No. P 82 128 IX a/42h (1941).
- [132] H. Plummer, “On the images formed by a parabolic mirror. I. The geometrical theory”, *Monthly Notices of RAS* **62**, 352–370 (1902).
- [133] W. Press, S. Teukolsky, W. Wetterling, and B. Flannery, *Numerical Recipes*, Cambridge Univ. Press (1992).
- [134] A. Rakich, M. Blundell, G. Pentland, et al., “The SkyMapper wide field telescope”, *Proc. SPIE* **6267**, 62670E (2006).
- [135] A. Rakich and N. Rumsey, *Adv. Opt. Techn.* **2**(1), 111–116 (2013).
- [136] R. Richter and H. Slevogt, Deutsche Patentanmeldung (Zeiss) Z 26 592 IXa 42h, 5.9.1941 (1941).
- [137] R. Richter and H. Slevogt, Deutsches Patentamt, Patentschrift No. 904 602, Z 615 IXa/42h (1954).
- [138] G. Ritchey and H. Chrétien, “Présentation du premier modèle de télescope aplanétique”, *C.R. Acad. Sci. Paris* **185**, 266–268 (1927).
- [139] P. Robb, “Three-mirror telescopes: design and optimization”, *Appl. Opt.* **17**, 2677–2685 (1978).
- [140] F. Ross, “Lens systems for correcting coma of mirrors”, *Astroph. J.* **81**, 156–172 (1935).
- [141] F. Roy, “The One-Metre Initiative: an update”, *Journ. of the Royal Soc. of Canada* **104**, 16–23, 2010.
- [142] N. Rumsey, “A compact three-reflection astronomical camera”, in *Optical Instruments and Techniques*, Oriel Press, 514–520 (1969).
- [143] M. Rusinov, *Non-spherical Surfaces in Optics*, Nedra, Moscow (in Russian) (1973).
- [144] M. Rusinov, *Technical Optics*, Mashinostroenie, Leningrad (in Russian) (1979).
- [145] H. Rutten and M. van Venrooij, *Telescope Optics*, Willmann-Bell, Richmond (1999).

- [146] R. Sampson, *Phil. Trans. Roy. Soc. (London)* **213**, 27–66 (1913a).
- [147] R. Sampson, “On correcting the field of a Newtonian telescope”, *Monthly Notices of RAS* **73**, 524–527 (1913b).
- [148] W. Saunders, P. Gillingham, G. Smith, et al., “Prime focus wide-field corrector designs with lossless atmospheric dispersion correction”, *Proc. SPIE* **9151**, 91511M (2014).
- [149] B. Schmidt, “Ein lichstarkes komafreies spiegelsystem”, *Centr. Ztg. f. Opt. u. Mech.* **52**, 25–26 (1931). Reprinted in *Selected Papers on Astronomical Optics*, D. Schroeder, Ed., SPIE Milestone Series **73**, 165–168 (1993).
- [150] D. Schroeder, “All-reflecting Baker-Schmidt flat-field telescopes”, *Appl. Optics* **17**, 141–144 (1978).
- [151] D. Schroeder, Ed., *Selected Papers on Astronomical Optics*, SPIE Milestone Series, V. MS **73**, SPIE Optical Engineering Press (1993).
- [152] D. Schroeder, *Astronomical Optics*, Academic Press, San Diego (2000).
- [153] L. Schupmann, *Die Medial-Fernrohre*, B.G. Teubner, Leipzig (1899).
- [154] K. Schwarzschild, “Untersuchungen zur geometrischen optik. II”, *Astronomische Mittheilungen der Königlichen Sternwarte zu Göttingen*, **10**, 3–28 (1905). Reprinted in *Selected Papers on Astronomical Optics*, D. Schroeder, Ed., SPIE Milestone Series **73**, 3–23 (1993).
- [155] G. Sedmak, S. Carozza, and G. Marra, “Numerical characterization of the observed point spread function of the VST wide-field telescope”, in *6th Livio Scarsi Int. Workshop on Data Analysis in Astronomy*, Erice 15-22 April, 134–140 (2007).
- [156] G. Sedmak, D. Mancini, D. Ferruzzi, et al., *VST: preliminary design review*, Osserv. Astr. Napoli (1999).
- [157] L. Seppala, “Simultaneous design of an optical system and null tests of the components: examples and results from the Large-aperture Synoptic Survey Telescope”, *Proc. SPIE* **7652**, 76520I (2010).
- [158] D. Shafer, 2017, “Catadioptric optically compensated zooming with one movin element”, *Proc. SPIE* **2539**, 105901C (2017).
- [159] M. Shenker, U.S. Patent 3,252,373 (1966).
- [160] M. Sholl, M. Ackermann, C. Bebek, et al., “BigBOSS: a stage IV dark energy redshift survey”, *Proc. SPIE* **8446**, 844667 12 pp. (2012).
- [161] B. Singaravelu and R. Cabanac, “Obstructed telescopes versus unobstructed telescopes for wide field survey – a quantitative analysis”, *PASP* **126**, 386–397 (2014).
- [162] G. Smith, *Practical Computer-Aided Lens Design*, Willmann-Bell, Richmond (1998).
- [163] R. Smith, R. Dekany, C. Bebek, et al., “The Zwicky transient facility observing system”, *Proc. SPIE* **9147**, E..79 (2014).
- [164] A. Sonnefeld, DRP (Zeiss) 697 003, 19.11.1936 (1936).

- [165] B. Starr, C. Claver, S. Wolff, et al., “LSST Instrument Concept”, *Proc. SPIE* **4836**, 228–239 (2002).
- [166] K. Strehl, “Ideales Fernrohr”, *Central Zeitung fur Optik und Mechanik*, **XXVI**, No. 7, p. 82 (1905).
- [167] H. Suiter, *Star Testing Astronomical Telescopes*, Willmann-Bell, Richmond (1994).
- [168] K. Taylor and P. Gray, “Design study for a new wide-field AAT Prime-focus – The 2dF”, *Proc. SPIE* **1236**, 290–299 (1990).
- [169] K. Taylor and P. Gray, “2dF: the AAT’s planned wide-field multifiber spectroscopic survey facility: report on commissioning the 2dF corrector/ADC”, *Proc. SPIE* **2198**, 136–142 (1994).
- [170] V. Terebizh, “Optimal baffle design in a Cassegrain telescope”, *Experimental Astronomy* **11**, 171–191 (2001a).
- [171] V. Terebizh, “All-spherical catadioptric telescopes with diffraction-limited image quality”, *Bull. of Crimean Astroph. Obs.* **97**, 101–113 (2001b).
- [172] V. Terebizh, “Concept optical design for a very wide-field corrector for the Blanco 4-m telescope”, *AURA-CTIO Report No. C10430A* (2003).
- [173] V. Terebizh, “Wide-field corrector in prime focus of a Ritchey-Chrétien telescope”, *Astronomy Letters* **30**, 200–208 (2004).
- [174] V. Terebizh, “Two-mirror Schwarzschild aplanats. Basic relations”, *Astronomy Letters* **31**, 129–139 (2005a).
- [175] V. Terebizh, *Modern Optical Telescopes* (in Russian), Moscow, Fizmatlit (2005b).
- [176] V. Terebizh, “Wide-field corrector for a Gregory telescope”, *Astronomy Reports* **51**, 597–603 (2007a).
- [177] V. Terebizh, “Wide-field optical telescopes” (in Russian), in *Astronomy 2006: Traditions, Present, and Future*, St.-Petersburg Univ. Press, 362–395 (2007b).
- [178] V. Terebizh, “Wide-field telescopes with a Mangin mirror”, *astro-ph/0710.2165v1*, 10 Oct (2007c).
- [179] V. Terebizh, “A purely reflective large wide-field telescope”, *Bull. of Crimean Astroph. Obs.* **104**, 240–248 (2008); *astro-ph/0707.1731v2*, 31 Sep (2007).
- [180] V. Terebizh, “New designs of survey telescopes”, *Astron. Nachr.* **332**, 714–742 (2011).
- [181] V. Terebizh, “Autocollimating compensator for controlling aspheric optical surfaces”, *Monthly Notices of RAS* **440**, 1824–1827 (2014).
- [182] V. Terebizh, “All-spherical telescope with extremely wide field of view”, *Astron. Nachr.* **337**, 571–575 (2016a).
- [183] V. Terebizh, “On the capabilities of survey telescopes of moderate size”, *Astron. J.* **152**, 121–130 (2016b).
- [184] V. Terebizh, “Space telescope designed for accurate measurements”, *Astron. J.* **154**, 244–246 (2017).

- [185] V. Terebizh, “Compact survey telescope with a diameter of 3.6 meters”, *Astron. J.* (2019) In press.
- [186] J. Tonry, “An early warning system for asteroid impact”, *PASP*, **123**, 58–73 (2011).
- [187] J. Tonry, L. Denneau, A. Heinze, et al., “ATLAS: a high-cadence all-sky survey system”, *arXiv:1802.00879v2* [astro-ph.IM] 28 Mar (2018).
- [188] M. Tuell, H. Martin, J. Burge, et al., “Optical testing of the LSST combined primary/tertiary mirror”, *Proc. SPIE* **7739**, 77392V–1 (2010).
- [189] H. Turnbull, *The Correspondence of Isaac Newton*, **I**, 1661–1675, Cambridge (1959).
- [190] J. Tyson and S. Wolff, “Survey and other telescope technologies and discoveries”, *Proc. SPIE* **4836**, 10- (2002).
- [191] Y. Väisälä, “Über Spiegelteleskope mit großem Geischtsfeld”, *Astron. Nachr.* **259**, 197 (1936).
- [192] D. Valls-Gabaud, MESSIER Collaboration, “The MESSIER surveyor: unveiling the ultra-low surface brightness universe”, *Proc. of the IAU Symp.* **321**, 199–201 (2017).
- [193] A. Wachmann, “From the life of Bernhard Schmidt”, *Sky & Telescope* **XV**, 1–9 (1955).
- [194] A. Walker, “The Large Synoptic Survey Telescope (LSST) and its impact on variable star research”. *Mem. S.A. It.* **73**, 23–27 (2002).
- [195] S.-G. Wang, D.-Q. Su, Y.-Q. Chu, et al., “Special configuration of a very large Schmidt telescope for extensive astronomical spectroscopic observation”, *Appl. Optics* **35**, 5155–5161 (1996).
- [196] S. West, R. Nagel, D. Harvey, et al., “Progress at the Vatican Advanced Technology Telescope”, *Proc. SPIE* **2871**, 74–85 (1997).
- [197] W. Wetherell, “Evaluation of image quality”, in *Applied Optics and Optical Engineering*, **8**, R. Shannon and J. Wyant, Eds, Academic Press (1980).
- [198] W. Wetherell, “Effects of mirror surface ripple on image quality”, in *Advanced Technology Optical Telescopes*, *Proc. SPIE* **332**, 429–443 (1982).
- [199] W. Wetherell and M. Rimmer, “General analysis of aplanatic Cassegrain, Gregorian, and Schwarzschild telescopes”, *Appl. Optics* **11**, 2817–2832 (1972).
- [200] D. Whiteside, *The Mathematical Papers of Isaac Newton*, **III**, 1670–1673, Cambridge (1969).
- [201] E. Wiedemann, Deutsches Patentamt 3121044 A1 (1981).
- [202] G. Williams, E. Olszewski, M. Lesser, and J. Burge, “90prime: a prime focus imager for the Steward Observatory 90-in. telescope”, *Proc. SPIE* **5492**, 787–798 (2004).
- [203] R. Willstrop, “The Mersenne-Schmidt: a three-mirror survey telescope”, *Monthly Notices of RAS* **210**, 597–609 (1984).

- [204] R. Willstrop and D. Lynden-Bell, “Exact optics – II. Exploration of designs on- and off-axis”, *Monthly Notices of RAS* **342**, 33–49 (2003).
- [205] R. Wilson, *Reflecting Telescope Optics, I*, Springer (1996).
- [206] R. Wilson, *Reflecting Telescope Optics, II*, Springer (1999).
- [207] F. Wright, “An Aplanatic Reflector with a Flat Field Related to the Schmidt Telescope”, *PASP* **47**, 300–304 (1935).
- [208] C. Wyman and D. Korsch, “Aplanatic two-mirror telescopes: a systematic study. 1: Cassegrainian configuration”, *Appl. Optics* **13**, 2064–2066 (1974a).
- [209] C. Wyman and D. Korsch, “Aplanatic two-mirror telescopes: a systematic study. 2: The Gregorian configuration”, *Appl. Optics* **13**, 2402–2404 (1974b).
- [210] C. Wynne, “New wide-aperture catadioptric systems”, *Monthly Notices of RAS* **107**, 356–368 (1947a).
- [211] C. Wynne, “Chromatic correction of wide-aperture catadioptric systems”, *Nature* **159**, 91–92 (1947b).
- [212] C. Wynne, “Field Correctors for Parabolic Mirrors”, *Proc. Phys. Soc.* **B62**, 772 (1949).
- [213] C. Wynne, US Patent 2,509,554 (1950).
- [214] C. Wynne, “New Lens Systems”, *Progress in Physics*, **19**, 298–325 (1956).
- [215] C. Wynne, “Field correctors for large telescopes”, *Appl. Optics* **4**(9), 1185–1192 (1965).
- [216] C. Wynne, “Afocal Correctors for paraboloidal mirrors”, *Appl. Optics* **6**(7), 1227–1231 (1967).
- [217] C. Wynne, “Ritchey-Chrétien telescopes and extended field systems”, *ApJ* **152**, 675–694 (1968).
- [218] C. Wynne, “Field correctors for astronomical telescopes”, in *Progress in Optics*, **X**, 139–164 (1972).
- [219] C. Wynne, “Data for some four-lens paraboloid field correctors”, *Monthly Notices of RAS* **165**, 1P–8P (1973).
- [220] C. Wynne, “A new wide-field triple lens paraboloid field corrector”, *Monthly Notices of RAS* **167**, 189–197 (1974).
- [221] C. Wynne, “Shorter than a Schmidt”, *Monthly Notices of RAS* **180**, 485–490 (1977).
- [222] C. Wynne, “The optics of the achromatized UK Schmidt telescope”, *Quat. J. of the RAS* **XXII**, 146–153 (1981).
- [223] N. Zacharias, U. Laux, A. Rakich, and H. Epps, “URAT: astrometric requirements and design history”, *astro-ph/0606193 v1*, 8 Jun (2006).
- [224] G. Zhao, Y. Zhao, Y. Chu, et al., “LAMOST Spectral Survey”, *arXiv:1206.3569* [astro-ph.IM] (2012).
- [225] P. Zimmer, J. McGraw, and M. Ackermann, “Affordable Wide-field Optical Space Surveillance using sCMOS and GPUs”, *Proc. AMOS Conf.*, (2016).

Index

A

achromatic meniscus, 76, 88, 91, 93
achromaticity condition, 88, 90
ADC telescope, 86
Airy disk, 22, 69
Airy pattern, 22
aliasing, 24
anastigmatic, 26
anastigmats, 44
Anglo-Australian Telescope, 7
aperture stop, 12, 29, 31, 42, 64, 96
aplanat, 65
aplanat field size, 35
aplanats, 32
aplanatic, 38, 61
aplanatic Cassegrain, 2
approximate aplanats, 33, 38
asphericity gradient, 43, 57, 70, 73, 85, 121
asphericity gradients, 55, 58, 67
astigmatism, 13, 34
ATLAS, 11
atmosphere dispersion, 54
atmosphere dispersion corrector, 58
AZT-16 telescope, 90

B

back focal length, 21, 37, 60, 108
baffles system, 37
Baker three-mirror telescope, 43, 69
Baker Super-Schmidt camera, 103–104
Baker, 16

Baker–Nunn camera, 101, 107
Blanco, 57
Blanco 4-m telescope, 7, 54
Blanco telescope, 57, 73
Blanco-R, 55
Blanco-R (VT-014d), 52
Blanco-S (VT-014e), 52
Blanco-S, 52, 54–55
Blanco-T (VT-014f), 52
Bouwers camera, 76

C

Cassegrain system, 18, 29, 36, 65
Catalina Real-Time Survey, 11
charge-coupled devices (CCDs), 20, 60
chromatic aberration, 17, 50, 57–58, 89, 93, 98, 104
chromatic difference of magnification, 17
circles of least confusion, 34
classical Cassegrain telescope, 1, 31
classical Gregorian telescope, 3
classical telescope field, 32
classical two-mirror telescopes, 31
coma, 26, 34, 55, 90
complementary metal-oxide semiconductors, 21
conic constant, 18, 63
conic constants, 32, 33
conic sections, 18, 33, 38, 44
concentric meniscus, 76
corrected Cassegrain telescope, 59, 61

corrected Gregorian telescope,
 3, 59, 67
 Couder anastigmat, 39
 curved, 14
 curved detectors, 14
 curved focal surface, 10, 37, 98, 102,
 104, 107
 cutoff frequency, 22

D

Dark Energy Survey (DESI), 7, 48,
 56, 57
 Dark Matter Telescope, 70
 DARPA Space Surveillance
 Telescope (DSST), 7, 43
 DCT, 7
 DECam, 7, 10, 21, 54, 58, 73
 delivered image quality, 5, 115
 design VT-050k, 66
 design VT-056y, 7, 24
 design VT-110f, 84
 design VT-110k, 87
 design VT-110p, 86
 design VT-119j, 109

E

effective aperture, 4
 effective aperture diameter, 63
 entrance pupil, 5, 12, 42, 71, 109
 Epps and Fabricant, 60
 equivalent focal ratio, 29
 ESO Schmidt, 7
 étendue, 4, 116
 even aspheres, 19, 43, 58, 63,
 72, 78
 exit pupil, 12, 29, 31, 39,
 41, 65

F

fiber optic, 14, 40
 fibers, 57
 field flattener, 83
 field curvature, 13, 34, 70, 83

focal gap, 77, 81
 focal ratio, 10, 22, 26
 full width at half maximum, 53
 functions of a bounded spectrum,
 22, 23

G

Gabor camera, 76
 Gattini-IR project, 100
 GEODSS, 7
 global, 50
 global minimum, 54
 gradient of asphericity, 63
 Gregorian system, 18, 29, 65, 122
 Gregory–Maksutov, 3, 65
 Gregory–Maksutov telescope, 68

H

Hamilton telescope, 17, 95, 104
 Hawkins–Linfoot camera, 91, 104,
 107
 Herschel, 5
 Hubble Space Telescope, 34, 36,
 121, 123

I

‘ideal’ telescope, 16
 IKONOS satellite, 45

J

James Webb Space Telescope, 45

K

Kepler mission, 83
 Kepler space telescope, 14, 24
 Korsch, 25
 Korsch anastigmat, 7, 44
 KPNO 84-inch reflector, 34

L

LAMOST, 7, 25, 40
 Large Binocular Telescope, 122
 Large Synoptic Survey Telescope
 (LSST), 7, 21, 43, 62, 70

lateral color, 17, 77, 87, 90, 99
lengthening systems, 31
limiting stellar magnitude, 6, 41, 96, 115
linear obscuration coefficient, 5
linear obstruction, 29
longitudinal color, 16–17, 76–77, 83, 87, 90–91, 95, 99
loss of light, 56

M

Maksutov, 28
Maksutov diagram, 29, 46
Maksutov parameters set, 117
Maksutov telescope, 18, 76, 91
Mangin, 17
Mangin mirror, 16, 95, 105
Mareschal limit, 123
Mayall, 48
Mayall telescope, 7, 57
McDonald Observatory 105-inch, 50
medial, 17
meniscus lens, 75
Mersenne system, 29, 41
modulation transfer function, 22, 123

N

near-Earth asteroids, 63
Nyquist frequency, 23, 24

O

OMI, 7

P

Palomar, 48, 87
Palomar 200-inch reflector, 32
Palomar 48-inch Schmidt, 106
Palomar Sky Survey, 10
Pan-STARRS, 7
Pan-STARRS survey, 11, 70
Pan-STARRS-1, 59
Panoptes-1AB system, 100

paraboloid field size, 26
Paul, 25
Paul three-mirror telescope, 42
Paul–Baker design, 43
Petzval condition, 13
PHOENIX telescope, 102
point spread function, 22
point symmetry, 101, 15, 77, 90, 93, 95, 108
polysag, 19
polysag surface, 43
Project MESSIER, 67

Q

quantum efficiency, 21, 97
Quasi-Ritchey–Chrétien (QRC) system, 2, 59, 61

R

reflecting Schmidt camera, 25, 40
Ritchey–Chrétien (RC) telescope, 2, 60
Richter–Slevogt, 18
Richter–Slevogt telescope, 92, 98
ripples, 53, 123, 124
Ritchey–Chrétien, 33, 57
Ritchey–Chrétien telescope, 1, 11, 40, 48, 59
Ross, 48
ROTSE-III telescope, 59

S

sampling factor, 24, 54, 92
sampling frequency, 23
sampling theorem, 23
Schmidt, 15
Schmidt camera, 18, 40, 42, 76–77, 88, 106, 108
Schmidt corrector, 77–78, 80, 82, 90
Schmidt–Cassegrain camera, 86–87
Schmidt–Houghton camera, 98, 101
Schmidt–Wynne camera, 87

- Schwarzschild aplanat, 38, 39, 118, 120
shortening systems, 31
signal-to-noise ratio, 6, 72, 97, 115
sine condition, 33, 39, 117
sky survey rate, 5, 96, 116
SkyMapper, 7
SNAP, 7
SNAP design, 45
Sonnefeld camera, 105
spatial frequency, 22
spherical aberration, 15, 34, 77, 81, 88
spherochromatism, 17, 87
SPM-Twin, 7
STA1600 CCD, 7, 92, 97
standard, 18
Steward 90", 7
Strehl, 14, 75, 93
Strehl 'ideal' telescope, 31, 42
Subaru Hyper Suprime Camera (HSC), 7, 10, 21, 57, 58
surface of medium curvature, 34
survey speed, 1, 6, 96–97
symmetry, 83
system VT-110k, 87
- T**
T250 ACTUEL telescope, 7, 63
TEC-VT300mm, 99
Terebizh, 51, 96, 105
Terebizh PF-corrector, 52
Terebizh symmetrical camera, 101, 108
thick lens, 89
three-mirror anastigmat (TMA), 3
three-mirror Paul telescope, 71
tolerances, 26, 61, 67, 72–73, 91–92, 122
- U**
United Kingdom Schmidt Telescope, 7, 87
- URAT system, 93
- V**
Vatican Advanced Technology Telescope, 55, 122
VAU camera, 104, 107
vignetting, 45, 64, 70–71, 87, 92, 96, 98, 106
VISTA, 7
VLT Survey Telescope, 7, 60
VT-014j, 54
VT-014j design, 125–126
VT-050k, 67
VT-050m design, 67
VT-060q system, 105
VT-061b design, 43
VT-078e design, 99
VT-090j design, 43
VT-098v design, 106
VT-102j, 105
VT-110k design, 77, 82, 84, 106
VT-114b design, 88–89
VT-119g, 18, 108
VT-119g design, 107
VT-119w design, 101–102
VT-133c, 68
VT-135e design, 101
VT-137d design, 64
VT-137d, 64
VT-137q, 65
- W**
wide-field, 4
WIYN ODI, 7
Wright, 83
Wynne, 48–50, 54, 58, 60, 93
Wynne RC corrector, 50
Wynne symmetrical camera, 91, 108
Wynne three-lens design, 99, 102
- Z**
Zeiss 643-mm telescope, 91



Valery Terebizh graduated from St. Petersburg University with a Doctor of Science in theoretical astrophysics. His main interests are related to the diffusion of radiation, time series analysis, extragalactic astronomy, inverse problems of mathematical physics, and astronomical optics. Terebizh has written four monographs on these topics. Many wide-field telescopes with a diameter of up to 4 m have been built around the world according to his designs. He was previously a leading researcher at the Byurakan Astrophysical Observatory and Moscow State University; currently, he is the principal investigator at the Crimean Astrophysical Observatory.