

PROGRESS IN BIOMEDICAL OPTICS AND IMAGING

Vol. 14 No. 28

Biomedical Applications of Light Scattering VII

Adam P. Wax
Vadim Backman
Editors

2–4 February 2013
San Francisco, California, United States

Sponsored and Published by
SPIE

Volume 8592

Proceedings of SPIE, 1605-7422, V. 8592

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

Biomedical Applications of Light Scattering VII, edited by Adam P. Wax, Vadim Backman,
Proc. of SPIE Vol. 8592, 85921F · © 2013 SPIE · CCC code: 1605-7422/13/\$18
doi: 10.1117/12.2021942

Proc. of SPIE Vol. 8592 85921F-1

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Biomedical Applications of Light Scattering VII*, edited by Adam P. Wax, Vadim Backman, Proceedings of SPIE Vol. 8592 (SPIE, Bellingham, WA, 2013) Article CID Number.

ISSN: 1605-7422

ISBN: 9780819493613

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

SPIE.org

Copyright © 2013, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 1605-7422/13/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.



SPIDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID Number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID Number.

Contents

vii *Conference Committee*

NOVEL INSTRUMENTATION

- 8592 01 **Oxygen saturation in free-diving whales: optical sensor development** [8592-1]
E. Gutierrez-Herrera, P. Vacas-Jacques, R. Anderson, Wellman Ctr. for Photomedicine and Harvard Medical School (United States); W. Zapol, Massachusetts General Hospital (United States); W. Franco, Wellman Ctr. for Photomedicine and Harvard Medical School (United States)
- 8592 03 **Oblique polarized reflectance spectroscopy for depth sensitive measurements in the epithelial tissue** [8592-3]
M. K. Jimenez, L. Fradkin, The Univ. of Texas at Austin (United States); L. T. Nieman, The Univ. of Texas MD Anderson Cancer Ctr. (United States); S. Lam, C. Poh, BC Cancer Agency (Canada); K. Sokolov, The Univ. of Texas at Austin (United States) and The Univ. of Texas MD Anderson Cancer Ctr. (United States)

NOVEL APPROACHES

- 8592 0A **Real-time turbidity compensation of biological tissue in motion by a process of three waves mixing optical phase conjugation** [8592-10]
F. Devaux, E. Lantz, Institut FEMTO-ST, CNRS, Univ. de Franche-Comté (France)
- 8592 0E **Linear classifier and textural analysis of optical scattering images for tumor classification during breast cancer extraction** [8592-14]
A. Eguizabal, Univ. de Cantabria (Spain); A. M. Laughney, Harvard Medical School at Massachusetts General Hospital (United States) and Thayer School of Engineering at Dartmouth (United States); P. B. Garcia Allende, Helmholtz Zentrum München GmbH (Germany); V. Krishnaswamy, Thayer School of Engineering at Dartmouth (United States); W. A. Wells, K. D. Paulsen, Dartmouth Hitchcock Medical Ctr. (United States); B. W. Pogue, Thayer School of Engineering at Dartmouth (United States); J. M. López-Higuera, O. M. Conde, Univ. de Cantabria (Spain)

THEORY

- 8592 0G **Modeling microsphere axial displacement in optical projection tomographic microscopy to analyze effects on filtered backprojection reconstruction** [8592-16]
R. L. Coe, E. J. Seibel, Univ. of Washington (United States)
- 8592 0H **FullMonte: a framework for high-performance Monte Carlo simulation of light through turbid media with complex geometry** [8592-17]
J. Cassidy, Univ. of Toronto (Canada); L. Lilge, Ontario Cancer Institute (Canada); V. Betz, Univ. of Toronto (Canada)

- 8592 0I **Phase-function corrected diffusion model for diffuse reflectance of a pencil beam obliquely incident on a semi-infinite turbid medium** [8592-18]

R. J. Zemp, Univ. of Alberta (Canada)

LIGHT SCATTERING FROM CELLS

- 8592 0L **The contribution of specific organelles to side scatter (Invited Paper)** [8592-21]
J. R. Maurant, O. C. Marina, C. K. Sanders, Los Alamos National Lab. (United States)

- 8592 0N **Analyzing the effect of absorption and refractive index on image formation in high numerical aperture transmission microscopy of single cells** [8592-23]
R. L. Coe, E. J. Seibel, Univ. of Washington (United States)

- 8592 0O **Optical scatter imaging as an apoptosis assay for cells undergoing ALA-mediated photodynamic therapy in vitro** [8592-24]
V. M. Rossi, Oregon State Univ. (United States) and Oregon Health & Science Univ. (United States); P. J. Baugher, Pacific Univ. (United States); S. L. Jacques, Oregon Health & Science Univ. (United States)

- 8592 0Q **Analyzing subcellular structure with optical Fourier filtering based on Gabor filters (Invited Paper)** [8592-26]
N. N. Boustany, H. Sierra, Rutgers, The State Univ. of New Jersey (United States)

CLINICAL AND PRE-CLINICAL STUDIES

- 8592 0S **Diffuse reflectance spectroscopy: a clinical study of tuberculin skin tests reading** [8592-28]
A. Koenig, CEA-LETI-Minatec (France); S. Grande, K. Dahel, Unité de recherche Clinique Lyon Sud (France); A. Planat-Chrétien, V. Poyer, CEA-LETI-Minatec (France); C. Goujon, Unité de recherche Clinique Lyon Sud (France); J.-M. Dinten, CEA-LETI-Minatec (France)

- 8592 0T **In vivo determination of scattering properties of healthy and malignant breast tissue by use of multi-diameter-single fiber reflectance spectroscopy (MDSFR)** [8592-29]
U. A. Gamm, Erasmus MC (Netherlands); M. Heijblom, D. Piras, Univ. Twente (Netherlands); F. M. Van den Engh, Medisch Spectrum Twente (Netherlands); S. Manohar, W. Steenbergen, Univ. Twente (Netherlands); H. J. C. M. Sterenborg, D. J. Robinson, A. Amelink, Erasmus MC (Netherlands)

- 8592 0U **Determine scattering coefficient and anisotropy of scattering of murine tissues using reflectance-mode confocal microscopy** [8592-30]
R. Samatham, S. L. Jacques, Oregon Health & Science Univ. (United States)

ANALYSIS OF REFRACTIVE INDEX

- 8592 0X **On alterations in the refractive index and scattering properties of biological tissue caused by histological processing** [8592-33]
H. Aung, B. DeAngelo, J. Soldano, P. Kostyk, B. Rodriguez, M. Xu, Fairfield Univ. (United States)

- 8592 0Y **Fractal analysis of scatter imaging signatures to distinguish breast pathologies** [8592-34]
A. Eguizabal, Univ. de Cantabria (Spain); A. M. Laughney, Harvard Medical School at Massachusetts General Hospital (United States) and Thayer School of Engineering at Dartmouth (United States); V. Krishnaswamy, Harvard Medical School at Massachusetts General Hospital (United States); W. A. Wells, Thayer School of Engineering at Dartmouth (United States); K. D. Paulsen, Dartmouth Hitchcock Medical Ctr. (United States); B. W. Pogue, Thayer School of Engineering at Dartmouth (United States); J. M. López-Higuera, O. M. Conde, Univ. de Cantabria (Spain)

LOW COHERENCE LIGHT SCATTERING

- 8592 15 **Spectroscopic optical coherence tomography with graphics processing unit based analysis of three dimensional data sets** [8592-41]
V. Jaedicke, S. Ağcaer, Ruhr-Univ. Bochum (Germany); S. Goebel, Technological Univ. of Applied Sciences Georg Agricola (Germany); N. C. Gerhardt, Ruhr-Univ. Bochum (Germany); H. Welp, Technological Univ. of Applied Sciences Georg Agricola (Germany); M. R. Hofmann, Ruhr-Univ. Bochum (Germany)
- 8592 16 **Full EM wave simulation on optical coherence tomography: impact of surface roughness** [8592-42]
Y.-T. Hung, S.-L. Huang, S. H. Tseng, National Taiwan Univ. (Taiwan)

POSTER SESSION

- 8592 17 **Depolarization of light by rough surface of scattering phantoms** [8592-43]
L. Tchvaleva, I. Markhvida, The Univ. of British Columbia (Canada); T. K. Lee, The Univ. of British Columbia (Canada) and BC Cancer Agency Research Ctr. (Canada); A. Doronin, I. Meglinski, Univ. of Otago (New Zealand)
- 8592 19 **A numerical re-evaluation of the McDonald-Vaughan model for Raman depth profiling** [8592-45]
J. Caro, J. Heldens, D. Leenman, Delft Univ. of Technology (Netherlands)
- 8592 1D **Multi-scale modeling of photopolymerization for medical hydrogel-implant design** [8592-49]
A. Schmocker, A. Khoushabi, S. Farahi, D. Pioletti, P.-E. Bourban, J. A. Manson, C. Moser, École Polytechnique Fédérale de Lausanne (Switzerland)

Author Index

Conference Committee

Symposium Chairs

James Fujimoto, Massachusetts Institute of Technology
(United States)
R. Rox Anderson, Wellman Center for Photomedicine, Massachusetts
General Hospital (United States) and Harvard School of Medicine
(United States)

Program Track Chairs

Ammasi Periasamy, University of Virginia (United States)
Daniel L. Farkas, University of Southern California (United States)

Conference Chairs

Adam P. Wax, Duke University (United States)
Vadim Backman, Northwestern University (United States)

Conference Program Committee

Irving J. Bigio, Boston University (United States)
Stephen A. Boppart, University of Illinois at Urbana-Champaign
(United States)
Bernard Choi, Beckman Laser Institute and Medical Clinic
(United States)
Dirk J. Faber, Academisch Medisch Centrum (Netherlands)
Steven L. Jacques, Oregon Health & Science University
(United States)
Lev T. Perelman, Harvard University (United States)
Brian W. Pogue, Dartmouth College (United States)
Bruce J. Tromberg, Beckman Laser Institute and Medical Clinic
(United States)

Session Chairs

- 1 Novel Instrumentation
Bernard Choi, Beckman Laser Institute and Medical Clinic
(United States)
- 2 Fourier Transform Light Scattering
Bernard Choi, Beckman Laser Institute and Medical Clinic
(United States)

- 3 Dynamic Scattering and Speckle Imaging
 Bernard Choi, Beckman Laser Institute and Medical Clinic
 (United States)
- 4 Novel Approaches
 Dirk J. Faber, Academisch Medisch Centrum (Netherlands)
- 5 Theory
 Lev T. Perelman, Harvard University (United States)
- 6 Light Scattering from Cells
 Irving J. Bigio, Boston University (United States)
- 7 Clinical and Pre-Clinical Studies
 Adam P. Wax, Duke University (United States)
- 8 Analysis of Refractive Index
 Ji Yi, Northwestern University (United States)
- 9 Low Coherence Light Scattering
 Stephen A. Boppart, University of Illinois at Urbana-Champaign
 (United States)