## PROCEEDINGS OF SPIE

# Photonics and Optoelectronics Meetings (POEM) 2008

# Fiber Optic Communication and Sensors

Dieter Stefan Jäger Deming Liu Ping Shum Editors

24–27 November 2008 Wuhan, China

Organized by

WNLO—Wuhan National Laboratory for Optoelectronics

Sponsored by

Huazhong University of Science and Technology (China)
China Hubei Provincial Science Technology Department
WEHDZ—Administration Committee of Wuhan East Lake High-Tech
Development Zone (China)
The State Optoelectronic Information Industry Base of China

Cooperating Organizations

Ministry of Education of China • IEEE Laser & Electro-Optics Society • COS—Chinese Optical Society Opticsjournal.net • OFweek.com

Published by SPIE

**Volume 7278** 

Proceedings of SPIE, 0277-786X, v. 7278

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Photonics and Optoelectronics Meetings (POEM) 2008: Fiber Optic Communication and Sensors*, edited by Dieter S. Jäger, Deming Liu, Ping Shum, Proceedings of SPIE Vol. 7278 (SPIE, Bellingham, WA, 2009) Article CID Number.

ISSN 0277-786X ISBN 9780819475374

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445 SPIE.org

Copyright © 2009, Society of Photo-Optical Instrumentation Engineers

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/09/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.



**Paper Numbering:** Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID number.

### **Contents**

#### ix Conference Committee

	FIBER OPTICAL COMMUNICATION AND SENSORS				
7278 02	Optical fiber gas sensor development and application (Invited Paper) [7278-64] W. Jin, H. L. Ho, The Hong Kong Polytechnic Univ. (Hong Kong, China)				
7278 03	Optical fiber grating tuning device and application (Invited Paper) [7278-19] F. Luo, T. Yeh, FLT Inc. (United States)				
7278 04	OCDMA technologies for new generation access network (Invited Paper) [7278-58] N. Kataoka, N. Wada, National Institute of Information and Communications Technology (Japan)				
7278 05	Application of single-mode fiber with low polarization mode-dispersion (PMD) in 40-Gb/s high-speed communication system (Invited Paper) [7278-63] Y. Shen, M. Liu, Z. Liu, Zhong Tian Technologies Fibre Optics Co., Ltd (China)				
7278 06	Fabrication of widely tunable SGDBR laser using butt-joint technique (Invited Paper)				
	[7278-105] S. Jiang, R. Zhang, Accelink Technologies Co., Ltd. (China); L. Dong, Shandong Univ. (China); N. Zhou, Accelink Technologies Co., Ltd. (China); S. Xie, Tsinghua Univ. (China)				
7278 07	Analysis and fabrication of highly nonlinear photonic crystal fiber (Invited Paper) [7278-17] H. Liu, Y. Huang, D. Liu, Huazhong Univ. of Science and Technology (China); W. Tong, Yangtze Optical Fibre & Cable Co. (China)				
7278 08	Analysis of the design in landslide monitoring system based on fiber optic sensor network (Invited Paper) [7278-41] W. Bi, G. Wu, F. Liu, Yanshan Univ. (China)				
7278 09	Inscription and sensing characterization of Bragg gratings in grapefruit microstructured fibers (Invited Paper) [7278-109]				
	D. Chen, Y. Zhang, BO. Guan, Dalian Univ. of Technology (China)				
7278 0A	Using FBG sensor array for monitoring structural security [7278-01] R. Li, J. Huang, B. Tang, H. Gu, Naval Univ. of Engineering (China)				
7278 OB	Improved symmetric signal demodulating technique for DFB laser hydrophone [7278-03] R. Li, J. Huang, H. Gu, B. Tan, Naval Univ. of Engineering (China)				
7278 0C	Analysis of ytterbium-doped gain guided and index antiguided fiber amplifier [7278-04] X. Wang, C. Xiong, Q. Qiu, X. Wen, Univ. of Electronic Science and Technology of China (China)				

7278 0D Application of differential fiber Bragg grating displacement cell in bridge crack [7278-06]					
	L. Yue, J. Huang, D. Jiang, J. Wang, Wuhan Univ. of Technology (China)				
7278 OE	Propagation characteristics of femto-second chirped soliton in dispersion-flatted fiber with linear dispersion profile [7278-18] X. Li, Qufu Normal Univ. (China) and Liaocheng Univ. (China); H. Zheng, Liaocheng Univ. (China); Y. Xia, Qufu Normal Univ. (China)				
7278 OF	<b>Study on strain properties for fiber Bragg grating sensor</b> [7278-21] C. Liu, X. Liu, S. Li, H. Hu, Huazhong Univ. of Science and Technology (China)				
7278 0G	A novel fiber sensor study on direct current based on fiber loop ring down spectroscopy [7278-24] L. Cui, S. Chen, Y. Qui, Fujian Normal Univ. (China); Z. Chen, Institute for Infocomm Researce (Singapore)				
7278 OH	OCDMA en/decoding performance using multiple $\pi$ -equivalent phase shifts [7278-25] Y. Cheng, Nanjing Univ. (China); T. Pu, L. Lu, The PLA Univ. of Science and Technology (China); X. Chen, Nanjing Univ. (China); S. Liu, Heilongjiang Univ. (China)				
7278 OI	Novel tunable Fabry-Perot filters for FBG sensing system [7278-27] W. Wu, X. Tong, X. Liu, Wuhan Univ. of Technology (China); T. Chen, Wuhan Communication School (China)				
7278 OJ	Two-wavelength fiber laser based on two equivalent phase shifts [7278-34] Z. Yin, Nanjing Univ. (China); X. Tu, Nanjing Univ. (China) and Nanjing Univ. of Posts and Telecommunications (China); S. Liu, Nanjing Univ. (China) and Heilongjiang Univ. (China); L. Zhang, Y. Lu, X. Chen, Nanjing Univ. (China)				
7278 OK	Gas concentration detection with FBGs and compensation method [7278-36] C. Zhong, X. Dong, J. Li, J. Qi, S. Li, W. Li, Xiamen Univ. (China)				
7278 OL	Design of EPON far-end equipment based on FTTH [7278-37] X. Feng, Wuhan Institute of Technology (China); X. Yun, Fiberhome Telecommunication Technologies Co., Ltd (China) and State Key Lab. of Optical Communication Technology and Network (China)				
7278 OM	Theoretical analysis on thermal stress induced birefringence in rectangular and D-shaped double cladding fiber [7278-39] D. Lu, T. Ge, J. Wu, K. Xu, J. Lin, Beijing Univ. of Posts and Telecommunications (China)				
7278 ON	Fiber grating sensor demodulation technique using a linear array of photodetectors [7278-42] T. Jun, M. Lei, D. Ping, Wuhan Univ. of Technology (China)				
7278 00	The application of structural health monitoring system technology using FBG to the No. 2 Wuhan bridge over the Yangtze river [7278-45] S. Liu, D. Jiang, Wuhan Univ. of Technology (China)				

7278 OP	Analysis of photonic crystal fiber bend character [7278-46] W. Bi, X. Guo, S. Ma, G. Fu, W. Jin, Yanshan Univ. (China)
7278 0Q	Multifunctional sensing film used for fiber optic cholesterol sensor [7278-49] B. Wang, J. Huang, M. Li, X. Zhou, Wuhan Univ. of Technology (China)
7278 OR	Experimental implementation of edge nodes for an OPS system based on Nios II [7278-52] X. Li, B. Xu, K. Qiu, H. Zhou, Univ. of Electronic Science and Technology of China (China)
7278 OS	Effects of fourth order dispersion on the tuning range of fiber parametric wavelength converters based on degenerated four-wave mixing [7278-53] S. Cui, D. Liu, Y. Wang, Huazhong Univ. of Science and Technology (China) and Wuhan National Lab. for Optoelectronics (China)
7278 OT	A novel chirped fiber Bragg grating accelerometer [7278-55] D. Zhang, P. Luo, K. Yao, M. Yang, Wuhan Univ. of Technology (China)
7278 OU	The liquid/liquid-waveguide-based absorption sensor [7278-56] X. Li, Beijing Univ. of Posts and Telecommunications (China) and Nanyang Technological Univ. (Singapore); Y. C. Seow, Nanyang Technological Univ. (Singapore); J. Wu, K. Xu, J. Lin, A. Q. Liu, Beijing Univ. of Posts and Telecommunications (China)
7278 OV	Nuclear explosion seismic wave detection based on the fiber Bragg grating geophone [7278-59] J. Wu, K. Yang, Q. Xiang, N. Zhang, Huazhong Univ. of Science and Technology (China)
7278 0W	An ameliorative technique for distributed Brillouin-based fiber optics sensing [7278-60] X. Yang, Y. Li, Z. Yang, T. Yoshino, North China Electric Power Univ. (China)
7278 0X	An interleaver design based on the phase characteristics of Gires-Tournois resonator [7278-62] X. Wang, Jimei Univ. (China) and Xiamen Univ. (China); W. Huang, Y. Zhang, Z. Cai, Xiamen Univ. (China)
7278 OY	Improvement of QKD with practical photon-number resolving detectors [7278-65] F. Xu, Z. Han, G. Guo, Univ. of Science and Technology of China (China)
7278 OZ	AMOOFDM with adaptive cyclic prefix system simulation and performance analysis [7278-69] Y. Zhou, K. Qiu, Y. Li, J. Zhang, H. Zhang, Univ. of Electronic Science and Technology of China (China)
7278 10	Research on equalization based on MLSE [7278-70] M. Wang, J. Liu, X. Zeng, Hebei Univ. of Technology (China)
7278 11	Design and experiment of an all-optical label using FBG-based encoder/decoders [7278-71] Y. Wang, K. Qiu, C. Zhang, Univ. of Electronic Science and Technology of China (China)

7278 12	Analysis of performance index of fiber-optic liquid-level sensor based on an extrinsic Fabry-Perot interferometer [7278-79]  T. Lü, Huazhong Univ. of Science and Technology (China) and China Univ. of Geosciences (China); Z. Li, D. Xia, Huazhong Univ. of Science and Technology (China)				
7278 13	A novel RWA scheme based on proactive contention avoidance mechanism in optical networks [7278-80] G. Shan, T. Dong, G. Zhu, Huazhong Univ. of Science and Technology (China)				
7278 14	Design and experiment of optical orthogonal code-based optical labels receiving in optical packets switching [7278-85] Y. He, K. Qiu, C. Zhang, Univ. of Electronic Science and Technology of China (China)				
7278 15	Novel modulation and detection for a 40 Gb/s frequency shift keying signal [7278-86] Z. He, Huazhong Univ. of Science and Technology (China) and Wuhan Research Institute Posts and Telecommunications (China); X. Wang, Huazhong Univ. of Science and Technology (China); N. Chi, Huazhong Univ. of Science and Technology (China) and Fuel Univ. (China); D. Huang, Huazhong Univ. of Science and Technology (China)				
7278 16	The optical injection locking technique and its applications for WDM-PON spare function [7278-87] W. Han, N. H. Zhu, L. Xie, M. Ren, B. H. Zhang, L. Li, H. G. Zhang, Institute of Semiconductors (China)				
7278 17	φ80μ <b>m polarization-maintaining fiber coupler for fiber optic gyroscope</b> [7278-88] L. Pang, R. Li, B. Huang, D. Ning, Chinese Electronic Technology Group Co. (China)				
7278 18	An approach to improving the signal-to-optical-noise ratio of pulsed magnetic field photonic sensors [7278-90]  J. Wang, College of Nanjing Xiaozhuang (China); Y. Li, PLA Univ. of Science and Technology (China)				
7278 19	A novel MFBG pressure sensor based on the thin-wall strain cylinder with temperature compensation [7278-91] Y. Liu, R. Shen, D. Niu, W. Yan, Y. Zhang, G. Du, Dalian Univ. of Technology (China)				
7278 1A	Accelerometer based on the D-shaped fiber Bragg grating [7278-93] Z. Chen, X. Dong, J. Zhou, W. Chen, J. Qi, S. Li, W. Li, Xiamen Univ. (China)				
7278 1B	Analysis and application of intelligence network based on FTTH [7278-97] X. Feng, Wuhan Institute of Technology (China); X. Yun, Fiberhome Telecommunication Technologies Co. Ltd. (China) and State Key Lab. of Optical Communication Technology and Network (China)				
7278 1C	Design and network applications of PoE [7278-98] X. Feng, Wuhan Institute of Technology (China); X. Yun, Fiberhome Telecommunication Technologies Co. Ltd. (China); Y. Chen, The Second Artillery Command College (China)				
7278 1D	Design on intelligent gateway technique in home network [7278-99]  Z. Hu, X. Feng, Wuhan Institute of Technology (China)				

7278 1E	Cell extension for fast moving users in a RoF network [7278-101] C. Yang, South-Central Univ. for Nationalities (China); D. Liu, Huazhong Univ. of Science and Technology (China)				
7278 1F	Fiber optic wide region temperature sensing system [7278-102] X. Xu, K. Nonaka, H. Song, Kochi Univ. of Technology (Japan)				
7278 1G	The research of self-localization algorithms for wireless sensor network [7278-103] H. Yang, X. Liu, S. Li, C. Liu, Huazhong Univ. of Science and Technology (China)				
7278 1H	Novel tunable phase-shifted fiber Bragg grating implemented by adjusting gap between two fibers [7278-116] X. Dong, J. Zhou, X. Lin, S. Li, J. Qi, W. Li, Xiamen Univ. (China)				
7278 11	Wavelength conversion utilizing non-degenerate four-wave mixing in photonic crystal fibe [7278-118] Z. Le, D. Yang, X. Shao, D. Geng, Zhejiang Univ. (China)				
7278 1J	A new IPQAM modulator with high integrated degree for digital TV [7278-121] Y. He, Shenzhen Univ. (China), Huazhong Univ. of Science and Technology (China), and Wuhan National Lab. for Optoelectronics (China); D. Liu, Huazhong Univ. of Science and Technology (China); G. Zhu, T. Jiang, Wuhan National Lab. for Optoelectronics (China); G. Sun, Shenzhen Coship Electronics Co. (China)				
7278 1K	Proposed FDFD method for analysis of ridged circular waveguide [7278-15]  Z. Shan, Donghua Univ. (China); Q. Zhang, Shanghai Jiaotong Univ. (China); S. Yang, Wuhai Univ. of Technology (China); H. Guan, F. Hong, Donghua Univ. (China)				
7278 1L	Wavelength stabilizer based on dual fiber Bragg gratings for 980nm Mini-uncooled pump laser [7278-20] S. Hu, Univ. of Shanghai for Science and Technology (United States); Y. Li, Univ. of Shanghai for Science and Technology (China) and Shanghai Key Laboratory of Modern Optical System (China); Q. Jiang, B. Wu, X. Yu, H. Wang, Univ. of Shanghai for Science and Technology (China)				
7278 1M	Optical SSB modulation using fiber Bragg grating and its transmission performance [7278-26] T. Gong, F. Yan, W. Ren, S. Feng, Beijing Jiaotong Univ. (China); G. Wang, China Electric Power Research Institute (China); L. Wang, P. Liu, P. Tao, S. Jian, Beijing Jiaotong Univ. (China)				
7278 1N	Polarization maintaining fiber magnetic sensor based on the digital phase generated carrier technology [7278-35] X. Zhang, Z. Meng, Z. Hu, H. Yang, Z. Song, Y. Hu, National Univ. of Defense Technology (China)				
7278 10	A novel method of adrenaline concentration detection using fiber optical biosensor based on the catalysis of iron(II) phthalocyanine [7278-50] X. Zhou, J. Huang, M. Li, B. Wang, Wuhan Univ. of Technology (China)				
7278 1P	An improved token bucket algorithm for DBA in Ethernet passive optical networks [7278-66] W. Liu, G. Zhu, D. Liu, Huazhong Univ. of Science and Technology (China)				

7278 1Q	An efficient method of monitoring PCF properties during the fabrication process [7278-74] L. Wang, S. Lou, W. Chen, H. Li, T. Guo, Beijing Jiaotong Univ. (China)				
7278 1R	Study on properties of long period gratings in photonic crystal fibers [7278-75] W. Chen, S. Lou, L. Wang, H. Li, T. Guo, S. Jian, Beijing Jiaotong Univ. (China)				
7278 1\$	Perfomance analysis and optimization of flow control in SAN extension based on WDM [7278-77] L. Qin, Huazhong Univ. of Science and Technology (China); Z. Cai, Huizhou Univ. (China); C. Yu, Huazhong Univ. of Science and Technology (China)				
7278 IT	Influence of glycerol with different concentrations on skin optical clearing and morphological changes in vivo [7278-107]  Z. Mao, Wuhan Institute of Physical Education (China) and Huazhong Univ. of Science and Technology (China); Z. Han, X. Wen, Q. Luo, D. Zhu, Huazhong Univ. of Science and Technology (China)				
7278 1U	A novel instance in optical-fiber white light interferometer experiment [7278-123] Y. Li, K. Liu, C. Sun, R. Li, Dalian Univ. of Technology (China)				
7278 1V	Gain spectrum control in multi-electrode semiconductor optical amplifiers [7278-95] S. Zhu, L. Huang, Y. Chen, Huazhong Univ. of Science and Technology (China)				
7278 1W	Four-wave-mixing-based wavelength conversion of coherent signal light using highly nonlinear PCF [7278-115] Y. Li, Y. Liu, G. Kai, Z. Wang, S. Yuan, X. Dong, Nankai Univ. (China)				
	Author Index				

#### **Conference Committee**

#### Conference Committee

T. F. Morse, Boston University (USA)
 Desheng Jiang, Wuhan University of Technology (China)
 Ping Shum, Nanyang Technological University (Singapore)
 Xiaomin Ren, Beijing University of Posts and Telecommunications (China)

Yunjiang Rao, University of Electronic Science and Technology (China)
Jianping Chen, Shanghai Jiao Tong University (China)
Zisen Zhao, Fiberhome and Wuhan Research Institute (China)
Nasser Peyghambarian, University of Arizona (United States)
Tingye Li, AT&T Laboratories, retired (United States)
Yadong Jiang, University of Electronic Science and Technology (China)
Keping Long, University of Electronic Science and Technology (China)
Hairong Liu, Wuhan National Laboratory for Optoelectronics (China)
Min Yan, Technical University of Denmark (Denmark)
Ming Tang, Nanyang Technological University (Singapore)

#### Local Organizing Committee

**Deming Liu**, Chair, Wuhan National Laboratory for Optoelectronics (China)

Hairong Liu, Wuhan National Laboratory for Optoelectronics (China)
Chen Liu, Wuhan National Laboratory for Optoelectronics (China)
Mingju Nie, Wuhan National Laboratory for Optoelectronics (China)
Ping Lu, Wuhan National Laboratory for Optoelectronics (China)
Xiaoying Liu, Wuhan National Laboratory for Optoelectronics (China)
Changjian Ke, Wuhan National Laboratory for Optoelectronics (China)
Sheng Cui, Wuhan National Laboratory for Optoelectronics (China)
Qizhen Sun, Wuhan National Laboratory for Optoelectronics (China)
Duan Liu, Wuhan National Laboratory for Optoelectronics (China)